



Status Report

PREMIER IA

S/N RB-137 N707KP

OWNER: RFP HOLDINGS LLC
ADDRESS: 5712 ORCHARD STREET
UNIVERSITY PLACE WA 98467
OFFICE:
FAX:

OPERATOR: RFP HOLDINGS LLC
ADDRESS: 5712 ORCHARD STREET
UNIVERSITY PLACE WA 98467
OFFICE:
FAX:

ANALYST: DAN GORDON
EMAIL: DGORDON@CAMPSYSTEMS.COM

631-588-1327 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: RB-137/N707KP	MODEL: PREMIER IA	MANUFACTURER: TEXTRON AVIATION INC.
CERTIFICATION DATE: 25-OCT-2005		LAST ACTUALS: 2835 A/C HRS as of 05-JUN-2026 2412 AFL as of 05-JUN-2026 1089.12 ACH as of 27-JAN-2026	
ENGINE NO. 1	SERIAL/PART: 105177/FJ44-2A	MODEL: FJ44-2A	MANUFACTURER: WILLIAMS INTERNATIONAL
INSTALLED ON: 17-JUN-2022 2468.3 ENG. HRS 2527.9 A/C HRS 2107 ENC		LAST ACTUALS: 2775.4 ENG. HRS as of 05-JUN-2026 2376 ENC as of 05-JUN-2026	
ENGINE NO. 2	SERIAL/PART: 105186/FJ44-2A	MODEL: FJ44-2A	MANUFACTURER: WILLIAMS INTERNATIONAL
INSTALLED ON: 17-JUN-2022 2468.3 ENG. HRS 2527.9 A/C HRS 2098 ENC		LAST ACTUALS: 2775.4 ENG. HRS as of 05-JUN-2026 2379 ENC as of 05-JUN-2026	



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E082-160620	NO. 1 ENGINE - REVIEW FJ44-2A LM REV 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-160620	NO. 2 ENGINE - REVIEW FJ44-2A LM REV 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-160920	NO. 1 ENGINE - REVIEW FJ44-2A LM REV40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
E082-160920	NO. 2 ENGINE - REVIEW FJ44-2A LM REV40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E082PROC. REF: RCF E082								
PM39-160701	REVIEW PREMIER I/IA MODEL 390 AMM REV. A43							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PM39PROC. REF: RCF PM39								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
051001	SCHEDULED A INSPECTION							Package ATA:05
	MOS	06-Aug-20						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
	HRS	2382	600 (+20)		2982	3002	147 (+20)	
	AFL	2036						
PROC. REF: AMM 05-20-02PROC. REF: AMM 05-20-02								PKG:6
051002	SCHEDULED B INSPECTION							Package ATA:05
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)		3564.8	3584.8	729.8 (+20)	
	AFL	2018						
PROC. REF: AMM 05-20-03PROC. REF: AMM 05-20-03								PKG:7
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package ATA:05
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)		(3053.1) 3112.7	3083.1	277.7 (+30)	
	ENC							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:1
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package ATA:05
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)		(3053.1) 3112.7	3083.1	277.7 (+30)	
	ENC							
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:1
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package ATA:05
	MOS	20-Apr-22						
	HRS	2468.3	600 (+30)		(3068.3) 3127.9	3098.3	292.9 (+30)	
	ENC	2107						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package ATA:05
	MOS	28-Apr-22						
	HRS	2468.3	600 (+30)		(3068.3) 3127.9	3098.3	292.9 (+30)	
	ENC	2110						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS/MSC	20-Apr-22	-					
	HRS	2468.3						
	ENC	2107						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:3
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05
	MOS/MSC	28-Apr-22	-					
	HRS	2468.3						
	ENC	2110						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:3
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:5000 (+50)		(5000) 5059.6	5050	2224.6 (+50)	
	ENC	0						
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								PKG:4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:5000 (+50)		(5000) 5059.6	5050	2224.6 (+50)	
	ENC	0						
PKG:4 PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052005	NO. 1 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:8500 (+50)		(8500) 8559.6	8550	5724.6 (+50)	
	ENC	0						
PKG:5 PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052005	NO. 2 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:8500 (+50)		(8500) 8559.6	8550	5724.6 (+50)	
	ENC	0						
PKG:6 PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052006	NO. 1 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:10000 (+50)		(10000) 10059.6	10050	7224.6 (+50)	
	ENC	0						
PKG:6 PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052006	NO. 2 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:10000 (+50)		(10000) 10059.6	10050	7224.6 (+50)	
	ENC	0						
PKG:6								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052007	NO. 1 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:14000 (+50)		(14000) 14059.6	14050	11224.6 (+50)	
	ENC	0						
PKG:7								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:14000 (+50)		(14000) 14059.6	14050	11224.6 (+50)	
	ENC	0						
PKG:7								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:15000 (+50)		(15000) 15059.6	15050	12224.6 (+50)	
	ENC	0						
PKG:8								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:15000 (+50)		(15000) 15059.6	15050	12224.6 (+50)	
	ENC	0						
								PKG:8
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:19500 (+50)		(19500) 19559.6	19550	16724.6 (+50)	
	ENC	0						
								PKG:9
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:19500 (+50)		(19500) 19559.6	19550	16724.6 (+50)	
	ENC	0						
								PKG:9
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:20000 (+50)		(20000) 20059.6	20050	17224.6 (+50)	
	ENC	0						
								PKG:10
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:20000 (+50)		(20000) 20059.6	20050	17224.6 (+50)	
	ENC	0						
PKG:10								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052011	NO. 1 ENGINE - FJ44 CHECK 11							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:15750 (+50)		(15750) 15809.6	15800	12974.6 (+50)	
	ENC	0						
PKG:11								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052011	NO. 2 ENGINE - FJ44 CHECK 11							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:15750 (+50)		(15750) 15809.6	15800	12974.6 (+50)	
	ENC	0						
PKG:11								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052012	NO. 1 ENGINE - FJ44 CHECK 12							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:25000 (+50)		(25000) 25059.6	25050	22224.6 (+50)	
	ENC	0						
PKG:12								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052012	NO. 2 ENGINE - FJ44 CHECK 12							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:25000 (+50)		(25000) 25059.6	25050	22224.6 (+50)	
	ENC	0						
PKG:12								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052013	NO. 1 ENGINE - FJ44 CHECK 13							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:19250 (+50)		(19250) 19309.6	19300	16474.6 (+50)	
	ENC	0						
PKG:13								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052013	NO. 2 ENGINE - FJ44 CHECK 13							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:19250 (+50)		(19250) 19309.6	19300	16474.6 (+50)	
	ENC	0						
PKG:13								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
052014	NO. 1 ENGINE - FJ44 CHECK 14							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:30000 (+50)		(30000) 30059.6	30050	27224.6 (+50)	
	ENC	0						
PKG:14								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
052014	NO. 2 ENGINE - FJ44 CHECK 14							Package ATA:05
	MOS	25-Oct-05						
	HRS	0	T:30000 (+50)		(30000) 30059.6	30050	27224.6 (+50)	
	ENC	0						
PKG:14								
PROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-APROC. REF: LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A, LMM 05-20-00-803A-300A-A								
05UNS1	ACCOMPLISH UNSCHEDULED LIGHTNING STRIKE INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
WC#: 05.040	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS2	ACCOMPLISH UNSCHEDULED HARD LANDING INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
WC#: 05.050	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS3	ACCOMPLISH UNSCHEDULED TURBULENT AIR INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
WC#: 05.060	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS4	ACCOMPLISH UNSCHEDULED FOREIGN OBJECT DAMAGE INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
WC#: 05.070	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS5	ACCOMPLISH UNSCHEDULED HIGH DRAG/SIDE LOAD INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
WC#: 05.080	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS6	ACCOMPLISH UNSCHEDULED OPERATION IN OR AROUND VOLCANIC ASH INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
WC#: 05.090	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
05UNS7	ACCOMPLISH UNSCHEDULED AIRSPEED (OVERSPEED) LIMITATION EXCEEDANCE INSPECTION							Service ATA:05
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 05-50-00PROC. REF: AMM 05-50-00								
ATA 12 - SERVICING								
123C01 ^S	LUBRICATE RUDDER, ELEVATOR AND AILERON TRIM TAB PIANO HINGE							Service ATA:12
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)					
WC#: 12.070	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
PKG:1,8								
127A01 ^S	LUBRICATE NOSE LANDING GEAR LUBRICATIONS POINTS							Service ATA:12
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)					
	AFL	2339						
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01								
PKG:8								
127B01 ^S	LUBRICATE LEFT MAIN LANDING GEAR LUBRICATION POINTS							Service ATA:12
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)					
	AFL	2339						
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01								
PKG:8								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
127C01	^S	LUBRICATE RIGHT MAIN LANDING GEAR LUBRICATION POINTS						Service ATA:12
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)					
	AFL	2339						
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01								PKG:8
200A02	^S	LUBRICATE COCKPIT SECTION ZONE 210 - ABOVE FLOOR						Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.010	AFL	2036						
PROC. REF: AMM 12-20-01PROC. REF: AMM 12-20-01								PKG:6,9
200D01	^S	LUBRICATE MID FUSELAGE ZONE 230 - WING-TO-FUSELAGE FAIRING						Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.040	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,7,9
300A11	^S	LUBRICATE AFT FUSELAGE ZONE 310 AFT PRESSURE BULKHEAD						Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.050	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,7,9
300B01	^S	LUBRICATE ZONE 320 VERTICAL STABILIZER						Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.060	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,7,9

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
300C01 ^S	LUBRICATE ZONE 330 HORIZONTAL STABILIZER							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.130	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,7,9
500C02 ^S	LUBRICATE LEFT WING ZONE 500/600, 530/630, 540/640 - FLIGHT CONTROLS (600 HOURS)							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.090	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,9
600C02 ^S	LUBRICATE RIGHT WING ZONE 600, 630, 640 - FLIGHT CONTROLS (600 HOURS)							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.090	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,9
700A01 ^S	LUBRICATE FORWARD FUSELAGE ZONE 710 - NOSE WHEEL WELL							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.100	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,9
700B01 ^S	LUBRICATE LEFT WING ZONE 720 LEFT MAIN LANDING GEAR							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.110	AFL	2036						
PROC. REF: AMM 06-50-06PROC. REF: AMM 06-50-06								PKG:6,7,9

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
700C01 ^S	LUBRICATE RIGHT WING ZONE 730 RIGHT MAIN LANDING GEAR							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.110	AFL	2036						
PROC. REF: AMM 06-50-06PROC. REF: AMM 06-50-06								PKG:6,7,9
800A01 ^S	LUBRICATE ZONE 830 PASSENGER DOOR, ZONE 840 EMERGENCY EXIT, ZONE 850 LEFT BAGGAGE AND ZONE 860 RIGHT AVIONICS DOOR							Service ATA:12
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 12.160	AFL	2036						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:6,9
SPC24	200 HOUR LUBRICATION SERVICING							Package ATA:12
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
	AFL	2339						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:8
SPC25	600 HOUR LUBRICATION SERVICING							Package ATA:12
	MOS	19-Sep-19						
	HRS	2364.8	600 (+20)		2964.8	2984.8	129.8 (+20)	
	AFL	2018						
PROC. REF: AMM 12-20-02PROC. REF: AMM 12-20-02								PKG:9
ATA 20 - STANDARD PRACTICES - AIRFRAME								
100D06 ^S	RESISTANCE CHECK ELECTRICAL BOND - NOSE AVIONICS ZONE 120							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
100E11 ^S	RESISTANCE CHECK ELECTRICAL BOND - RADOME ZONE 110							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
200A15 ^S	RESISTANCE CHECK ELECTRICAL BOND - COCKPIT ZONE 210							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
200B11 ^S	RESISTANCE TEST ELECTRICAL BOND - CABIN ZONE 220							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
200C20 ^S	RESISTANCE CHECK ELECTRICAL BOND - WING TO FUSELAGE ZONE 230							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
200C21 ^S	RESISTANCE CHECK ELECTRICAL BOND - ANTENNAS							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
300A48 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 AFT AVIONICS COMPARTMENT							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
300A49 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 310 TAILCONE							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
300B16 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 320 VERTICAL STABILIZER							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
300C19 ^S	RESISTANCE CHECK ELECTRICAL BOND - EMPENNAGE ZONE 330 HORIZONTAL STABILIZER							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
500A11 ^S	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
600A10 ^S	RESISTANCE CHECK ELECTRICAL BOND - ZONES 500/600 WINGS							Service ATA:20
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 20-13-00PROC. REF: AMM 20-13-00								PKG:7
ATA 21 - AIR CONDITIONING								
100A11 ^S	INSPECT COCKPIT EVAPORATOR BLOWER - FORWARD - MOTOR BRUSHES							Service ATA:21
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 21.100	AFL	2018						
PROC. REF: CMM 21-22-22PROC. REF: CMM 21-22-22								PKG:7
100B01 ^S	INSPECT ENVIRONMENTAL SYSTEM - AFT							Service ATA:21
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
100B02 ^S	INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.030	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
100B03 ^S	INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.020	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
100B14	VISUALLY INSPECT CABIN BLEED AIR FLAPPER CHECK VALVE							Service ATA:21
	MOS	25-Oct-05						
	HRS	0	6000 (+20)		6000	6020	3165 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
100B15	VISUALLY INSPECT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service ATA:21
	MOS	25-Oct-05						
	HRS	0	6000 (+20)		6000	6020	3165 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
100B16	VISUAL INSPECT AFT COCKPIT BLEED AIR FLAPPER CHECK VALVE							Service ATA:21
	MOS							
	HRS	EFF	6000 (+20)		6000 *	6020	3165 (+20)	
	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
200A03 ^S	INSPECT FORWARD ENVIROMENTAL SYSTEM							Service ATA:21
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00								PKG:7
200B03 ^S	INSPECT LEFT HAND SECONDARY OUTFLOW VALVE							Service ATA:21
PN:390-384025-0005	MOS	06-Aug-20						
SN:0513	HRS	2382	600 (+20)					
WC#: 21.195	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
200B03 ^S	INSPECT RIGHT HAND PRIMARY OUTFLOW VALVE							Service ATA:21
PN:390-384024-0007	MOS	06-Aug-20						
SN:0575A	HRS	2382	600 (+20)					
WC#: 21.190	AFL	2036						
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02							PKG:6	
200B10 ^S	INSPECT CABIN EVAPORATOR BLOWER - AFT - MOTOR BRUSHES							Service ATA:21
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: CMM 21-22-22PROC. REF: CMM 21-22-22							PKG:7	
200D02 ^S	INSPECT COCKPIT BLEED AIR DUCT							Service ATA:21
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 21.050	AFL	2018						
PROC. REF: AMM 21-20-00PROC. REF: AMM 21-20-00							PKG:7	
210001	LEFT HAND HEAT EXCHANGER							Component ATA:21
PN:390-385033-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:341	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 21-60-12, AMM 21-60-13PROC. REF: AMM 21-60-12, AMM 21-60-13								
210002	RIGHT HAND HEAT EXCHANGER							Component ATA:21
PN:390-385033-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:278	HRS	0		TSN 0				
WC#: 21.290	AFL	0		TSN 0				
PROC. REF: AMM 21-60-12, AMM 21-60-13PROC. REF: AMM 21-60-12, AMM 21-60-13								
211101	NO. 1 BLEED AIR CONTROL UNIT							Component ATA:21
PN:35009-20	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:D2453	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
211102	NO. 2 BLEED AIR CONTROL UNIT							Component	ATA:21
PN:35009-20	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:D2498	HRS	0		TSN 0					
WC#: 21.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
211111	LEFT HAND TEMPERATURE SENSOR							Component	ATA:21
PN:1300460-1	MOS/MSC	14-Jan-19	O/C	TSN 0					
SN:445	HRS	2296.7		TSN 0					
WC#: 21.310	AFL	1968							
PROC. REF: AMM 21-60-05PROC. REF: AMM 21-60-05									
211112	RIGHT HAND TEMPERATURE SENSOR							Component	ATA:21
PN:1300460-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:606	HRS	0		TSN 0					
WC#: 21.310	AFL	0		TSN 0					
PROC. REF: AMM 21-60-05PROC. REF: AMM 21-60-05									
212001	3-WAY SOLENOID VALVE							Component	ATA:21
PN:5303-23	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0458	HRS	0		TSN 0					
WC#: 21.320	AFL	0		TSN 0					
PROC. REF: AMM 52-10-06PROC. REF: AMM 52-10-06									
212011	LEFT HAND BI-LEVEL FLOW CONTROL VALVE							Component	ATA:21
PN:390-385035-0003	MOS/MSC	29-Dec-25	O/C	TSO 0					
SN:0392	HRS	2812.7		TSO 0					
WC#: 21.060	AFL	2395		TSO 0					
PROC. REF: AMM 21-20-06PROC. REF: AMM 21-20-06									
212012	RIGHT HAND BI-LEVEL FLOW CONTROL VALVE							Component	ATA:21
PN:390-385035-0003X	MOS/MSC	24-May-19	O/C						
SN:0697	HRS	2343.2							
WC#: 21.060	AFL	2001							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-20-06PROC. REF: AMM 21-20-06								
212021THREE WAY VALVEComponentATA:21								
PN:390-385017-0005	MOS/MS	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0165	HRS	0	TSN 0					
WC#: 21.330	AFL	0	TSN 0					
PROC. REF: AMM 52-10-06, AMM 21-20-02PROC. REF: AMM 52-10-06, AMM 21-20-02								
213021PRESSURIZATION CONTROLLERComponentATA:21								
PN:390-385014-0003	MOS/MS	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0316	HRS	0	TSN 0					
WC#: 21.340	AFL	0	TSN 0					
PROC. REF: AMM 21-30-01PROC. REF: AMM 21-30-01								
213041BAROMETRIC PRESSURE SWITCHComponentATA:21								
PN:PN	MOS/MS	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 21.360	AFL	0	TSN 0					
PROC. REF: AMM 21-30-05PROC. REF: AMM 21-30-05								
215025COMPRESSOR DRIVE MODULEComponentATA:21								
PN:390-385026-0001	MOS/MS	25-Oct-05	O/C	TSN 0, TSO 0				
SN:132	HRS	0	TSN 0					
WC#: 21.370	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215030AIR CONDITIONING COMPRESSORComponentATA:21								
PN:PN	MOS/MS	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 21.160	AFL	0	TSN 0					
PROC. REF: AMM 21-50-03PROC. REF: AMM 21-50-03								
215040AIR CONDITION CONDENSERComponentATA:21								
PN:PN	MOS/MS	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 21.180	AFL	0	TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-50-06PROC. REF: AMM 21-50-06								
215043RIGHT HAND PRIMARY OUTFLOW VALVEComponentATA:21								
PN:390-384024-0007	MOS/MSC	29-Oct-14	O/C	TSN 108, TSO 108				
SN:0575A	HRS	1640.4	TSN 1640.4					
WC#: 21.190	AFL	1451	TSN 1451					
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
215044LEFT HAND SECONDARY OUTFLOW VALVEComponentATA:21								
PN:390-384025-0005	MOS/MSC	29-Oct-14	O/C	TSN 108, TSO 108				
SN:0513	HRS	1640.4	TSN 1640.4					
WC#: 21.195	AFL	1451	TSN 1451					
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								
215051SOFT START MODULEComponentATA:21								
PN:1260470-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:102/102	HRS	0	TSN 0					
WC#: 21.380	AFL	0	TSN 0					
PROC. REF: AMM 21-50-04PROC. REF: AMM 21-50-04								
215061COCKPIT REFRIGERANT SOLENOID VALVEComponentATA:21								
PN:390-385027-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0258	HRS	0	TSN 0					
WC#: 21.390	AFL	0	TSN 0					
PROC. REF: AMM 21-50-17PROC. REF: AMM 21-50-17								
215065CABIN REFRIGERANT SOLENOID VALVEComponentATA:21								
PN:390-385027-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0190	HRS	0	TSN 0					
WC#: 21.395	AFL	0	TSN 0					
PROC. REF: AMM 21-50-17PROC. REF: AMM 21-50-17								
215071FLIGHT DECK EVAPORATOR COILComponentATA:21								
PN:390-385020-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:266	HRS	0	TSN 0					
WC#: 21.115	AFL	0	TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-50-19PROC. REF: AMM 21-50-19								
215091 CABIN COIL EVAPORATOR Component ATA:21								
PN:390-385023-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:282	HRS	0	TSN 0					
WC#: 21.125	AFL	0	TSN 0					
PROC. REF: AMM 21-50-13PROC. REF: AMM 21-50-13								
215095 EVAPORATOR Component ATA:21								
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 21.135	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216001 CABIN TEMPERATURE CONTROLLER Component ATA:21								
PN:390-385011-0009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:476	HRS	0	TSN 0					
WC#: 21.400	AFL	0	TSN 0					
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01								
216002 COCKPIT TEMPERATURE CONTROLLER Component ATA:21								
PN:390-385011-0009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:494	HRS	0	TSN 0					
WC#: 21.400	AFL	0	TSN 0					
PROC. REF: AMM 21-60-01PROC. REF: AMM 21-60-01								
216011 LEFT HAND TEMPERATURE SWITCH Component ATA:21								
PN:1173T0777-01	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0354	HRS	0	TSN 0					
WC#: 21.410	AFL	0	TSN 0					
PROC. REF: AMM 21-60-04PROC. REF: AMM 21-60-04								
216012 RIGHT HAND TEMPERATURE SWITCH Component ATA:21								
PN:1173T0777-01	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0297	HRS	0	TSN 0					
WC#: 21.410	AFL	0	TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-60-04PROC. REF: AMM 21-60-04								
216021	COCKPIT (555750) VENT DUCT TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.420	AFL	0		TSN 0				
PROC. REF: AMM 21-60-10PROC. REF: AMM 21-60-10								
216022	CABIN VENT DUCT TEMPERATURE SENSOR							Component ATA:21
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.430	AFL	0		TSN 0				
PROC. REF: AMM 21-60-16PROC. REF: AMM 21-60-16								
216032	COCKPIT TEMPERATURE SENSOR							Component ATA:21
PN:1300440-1	MOS/MSC	14-Jan-19	O/C					
SN:807	HRS	2296.7						
WC#: 21.440	AFL	1968						
PROC. REF: AMM 21-60-14PROC. REF: AMM 21-60-14								
216033	CABIN TEMPERATURE SENSOR							Component ATA:21
PN:1300580-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:265	HRS	0		TSN 0				
WC#: 21.440	AFL	0		TSN 0				
PROC. REF: AMM 21-60-06PROC. REF: AMM 21-60-06								
216041	BAGGAGE HEAT CONTROLLER							Component ATA:21
PN:390-385005-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:E0438081	HRS	0		TSN 0				
WC#: 21.450	AFL	0		TSN 0				
PROC. REF: AMM 21-40-02PROC. REF: AMM 21-40-02								
216045	BAGGAGE HEAT BLOWER							Component ATA:21
PN:390-385005-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:104384788	HRS	0		TSN 0				
WC#: 21.460	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-40-01PROC. REF: AMM 21-40-01								
216051	NO. 1 MODULATING VALVE							Component ATA:21
PN:390-385016-0001	MOS/MSC	25-Jan-08	O/C	TSO 0				
SN:145	HRS	488.4		TSO 0				
WC#: 21.470	AFL	291		TSO 0				
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03								
216052	NO. 2 MODULATING VALVE							Component ATA:21
PN:1300330-3	MOS/MSC	22-Feb-18	O/C	TSO 0				
SN:765	HRS	2191.1		TSO 0				
WC#: 21.470	AFL	1878		TSO 0				
PROC. REF: AMM 21-60-03PROC. REF: AMM 21-60-03								
300A13 ^S	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT HEAT SYSTEM							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.210	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A14 ^S	INSPECT BLEED AIR FLAPPER CHECK VALVES - TWO LOCATIONS							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.040	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A18 ^S	INSPECT RAM AIR DORSAL CHECK VALVES							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.220	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
300A19 ^S	INSPECT BLOWER DUCT CHECK VALVES							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.230	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300A20 ^S	INSPECT BLEED AIR HEAT EXCHANGERS							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.240	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300A21 ^S	INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR							Service ATA:21
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 21.250	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300A42	INSPECT AIR CONDITIONING COMPRESSOR MOTOR							Service ATA:21
PN:PN	MOS	22-Jan-20						
SN:UNKNOWN	HRS	2367.1						
WC#: 21.170	AFL	2020						
	ACH	1083	500 (+300)		1583	1883	493.9 (+300)	
PROC. REF: CMM 21-00-13, CMM 21-53-20PROC. REF: CMM 21-00-13, CMM 21-53-20								
300A46	INSPECT AIR CONDITIONING CONDENSER BLOWER MOTOR BRUSHES							Service ATA:21
PN:BA128E-7	MOS	20-Apr-21						
SN:149	HRS	2400.9						
WC#: 21.480	AFL	2048						
	ACH	1083	1200		2283		1193.9	
PROC. REF: CMM 21-11-09PROC. REF: CMM 21-11-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
300A47	INSPECT BLEED AIR HEAT EXCHANGER BLOWER MOTOR BRUSHES							Service ATA:21
PN:390-385034-0001	MOS	25-Oct-05						
SN:025	HRS	0	3600 (+20)		3600	3620	765 (+20)	
WC#: 21.490	AFL	0						
PROC. REF: CMM 21-11-10PROC. REF: CMM 21-11-10								
OPS03 ^S	OPERATIONAL TEST CABIN ALTITUDE HIGH SWITCH							Service ATA:21
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 21.080	AFL	2018						
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
OPS04	FUNCTIONAL TEST LEFT HAND PRIMARY OUTFLOW VALVE							Service ATA:21
PN:390-384025-0005	MOS	19-Sep-19						AIRWORTHINESS
SN:0513	HRS	2364.8	800 (+20/-20)		3164.8	3184.8	329.8 (+20)	
WC#: 21.195	AFL	2018						
PROC. REF: GENERIC NO REF, AMM 21-30-02PROC. REF: GENERIC NO REF, AMM 21-30-02								
OPS04	FUNCTIONAL TEST OF THE PRESSURIZATION MODE (DUMP) SWITCH							Service ATA:21
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	800 (+20/-20)		3164.8	3184.8	329.8 (+20)	
	AFL	2018						
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
OPS04	FUNCTIONAL TEST RIGHT HAND PRIMARY OUTFLOW VALVE							Service ATA:21
PN:390-384024-0007	MOS	19-Sep-19						AIRWORTHINESS
SN:0575A	HRS	2364.8	800 (+20/-20)		3164.8	3184.8	329.8 (+20)	
WC#: 21.190	AFL	2018						
PROC. REF: AMM 21-30-02PROC. REF: AMM 21-30-02								
SPC17	CHANGE FORWARD ENVIRONMENTAL SYSTEM EVAPORATOR FILTER AND CHECK DRAIN							Service ATA:21
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 21.130	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
SPC18		CHANGE AFT ENVIRONMENTAL SYSTEM EVAPORATOR FILTER						Service ATA:21
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 21.150	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
TBO09		FORWARD COCKPIT EVAPORATOR BLOWER						Component ATA:21
PN:390-385024-0005	MOS	08-Jul-15		TSN 117, TSO 5				OVERHAUL
SN:362	HRS	1806.9	1600	TSN 1700.3, TSO 0	3406.9		571.9	
WC#: 21.110	AFL	1577		TSN 1511, TSO 0				
PROC. REF: AMM 21-50-20PROC. REF: AMM 21-50-20								
TBO11		AFT CABIN EVAPORATOR BLOWER						Component ATA:21
PN:390-385024-0005	MOS	08-Jul-15		TSN 117, TSO 5				OVERHAUL
SN:357	HRS	1806.9	1600	TSN 1700.3, TSO 0	3406.9		571.9	
WC#: 21.120	AFL	1577		TSN 1511, TSO 0				
PROC. REF: AMM 21-50-14PROC. REF: AMM 21-50-14								
TBO13		AIR CONDITIONING CONDENSER BLOWER MOTOR						Component ATA:21
PN:BA128E-7	MOS	20-Apr-21						OVERHAUL
SN:149	HRS	2400.9						
WC#: 21.200	AFL	2048						
	ACH	1083	2400	TSO 0	3483		2393.9	
PROC. REF: AMM 21-50-07PROC. REF: AMM 21-50-07								
TBO15		BLEED AIR HEAT EXCHANGER BLOWER MOTOR						Component ATA:21
PN:390-385034-0001	MOS	25-Oct-05		TSN 0				OVERHAUL
SN:025	HRS	106.6	7200	TSN 0	7306.6		4471.6	
WC#: 21.250	AFL	66		TSN 0				
PROC. REF: AMM 21-60-11PROC. REF: AMM 21-60-11								
TBO18		AIR CONDITIONING COMPRESSOR MOTOR						Component ATA:21
PN:PN	MOS			TSN 0				OVERHAUL
SN:UNKNOWN	HRS			TSN 0				
WC#: 21.170	AFL			TSN 0				
	ACH	0	2000	TSN 0	2000		910.9	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-50-02PROC. REF: AMM 21-50-02								
ATA 22 - AUTO FLIGHT								
221001ELEVATOR SERVO MOUNTComponentATA:22								
PN:622-5735-004	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1VWFM	HRS	0		TSN 0				
WC#: 22.010	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221002ELEVATOR SERVOComponentATA:22								
PN:822-1168-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1M7MT	HRS	0		TSN 0				
WC#: 22.010	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221011RUDDER SERVO MOUNTComponentATA:22								
PN:622-5735-004	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1GHYL	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221012RUDDER SERVOComponentATA:22								
PN:822-1168-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1NOGV	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221021AILERON SERVO MOUNTComponentATA:22								
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221022	AILERON SERVO							Component ATA:22
PN:822-1168-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:20D6C	HRS	0	TSN 0					
WC#: 22.030	AFL	0	TSN 0					
PROC. REF: AMM 22-10-03PROC. REF: AMM 22-10-03								
221051	AUXILIARY ROLL TRIM CONTROLLER							Component ATA:22
PN:390-384061-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1186	HRS	0	TSN 0					
WC#: 22.040	AFL	0	TSN 0					
PROC. REF: AMM 27-10-06PROC. REF: AMM 27-10-06								
ATA 23 - COMMUNICATIONS								
231001	UPPER VHF COMM ANTENNA							Component ATA:23
PN:S65-8280-42	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:586	HRS	0	TSN 0					
WC#: 23.020	AFL	0	TSN 0					
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								
231002	LOWER VHF COMM ANTENNA							Component ATA:23
PN:S65-8280-42	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:626	HRS	0	TSN 0					
WC#: 23.020	AFL	0	TSN 0					
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								
231011	NO. 1 VHF COMM TRANSCEIVER							Component ATA:23
PN:822-1468-102	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1NVXY	HRS	0	TSN 0					
WC#: 23.030	AFL	0	TSN 0					
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								
231012	NO. 2 VHF COMM TRANSCEIVER							Component ATA:23
PN:822-1468-102	MOS/MSC	22-Feb-22	O/C	TSO 0				
SN:45WNT	HRS	2468.3	TSO 0					
WC#: 23.030	AFL	2098	TSO 0					
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231015	HF RECEIVER							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.110	AFL	0		TSN 0				
PROC. REF: AMM 23-11-02PROC. REF: AMM 23-11-02								
231021	CTL-23 CONTROL							Component ATA:23
PN:822-1121-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1KDYT	HRS	0		TSN 0				
WC#: 23.040	AFL	0		TSN 0				
PROC. REF: AMM 23-10-01PROC. REF: AMM 23-10-01								
231101	HF (KCU 951) CONTROLLER							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: AMM 23-11-01PROC. REF: AMM 23-11-01								
231301	RADIO TELEPHONE ANTENNA							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01								
231311	FLITEPHONE							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.060	AFL	0		TSN 0				
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01								
231313	NO. 1 DATA ACQUISITION UNIT							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231314	NO. 2 DATA ACQUISITION UNIT							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 23-13-01PROC. REF: AMM 23-13-01								
235001	NO. 1 AUDIO AMP							Component ATA:23
PN:700-008	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1552	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
PROC. REF: AMM 23-30-03PROC. REF: AMM 23-30-03								
235002	NO. 2 AUDIO AMP							Component ATA:23
PN:700-008	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1553	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
PROC. REF: AMM 23-30-03PROC. REF: AMM 23-30-03								
235011	PA AMP							Component ATA:23
PN:MODEL 240-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:3009	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: AMM 23-30-02PROC. REF: AMM 23-30-02								
235013	HF POWER (KAC 952) AMP							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.120	AFL	0		TSN 0				
PROC. REF: AMM 23-11-03PROC. REF: AMM 23-11-03								
237001	COCKPIT VOICE RECORDER							Component ATA:23
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.010	AFL	0		TSN 0				
PROC. REF: AMM 23-70-01PROC. REF: AMM 23-70-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237014	UNDERWATER LOCATOR BEACON							Component ATA:23
PN:DK-120/90	MOS/MSC	14-Sep-22	O/C	TSN 0				
SN:AT172058	HRS	2557.7		TSN 0				
WC#: 23.010	AFL	2170						
PROC. REF: AMM 23-70-05PROC. REF: AMM 23-70-05								
237016	TEST UNDERWATER LOCATOR BEACON BATTERY AND UNIT							Service ATA:23
	MOS	30-Sep-24	24 (+30d/-30d)		30-Sep-26	30-Oct-26	117 d (+30)	
	HRS	2737.2						
WC#: 23.010	AFL	2326						
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
237017	REPLACE UNDERWATER LOCATOR BEACON BATTERY							Service ATA:23
PN:DK-120/90	MOS	01-Dec-21	84		01-Dec-28		910 d	MANDATORY
SN:AT172058	HRS							
WC#: 23.010	AFL							
Manufacture Date:: 01-Dec-21								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237021	IMPACT SWITCH							Component ATA:23
PN:6895D2X2.5-2.5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:3634	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: AMM 23-70-03PROC. REF: AMM 23-70-03								
ATA 24 - ELECTRICAL POWER								
240001	STATIC INVERTER							Component ATA:24
PN:SS50	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1884	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243001	LEFT HAND GENERATOR CONTROL UNIT							Component ATA:24
PN:390-384005-0009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:427	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-30-02PROC. REF: AMM 24-30-02								
243002	RIGHT HAND GENERATOR CONTROL UNIT							Component ATA:24
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-30-02PROC. REF: AMM 24-30-02								
243003	LEFT HAND GROUND FAULT TRANSFORMER							Component ATA:24
PN:76394-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:2944	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: AMM 24-30-06PROC. REF: AMM 24-30-06								
243005	RIGHT HAND GROUND FAULT TRANSFORMER							Component ATA:24
PN:76394-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:3005	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: AMM 24-30-06PROC. REF: AMM 24-30-06								
245001	DC/AC INVERTER							Component ATA:24
PN:AC1500-393	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0164	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246001	NO. 1 AC/DC INVERTER							Component ATA:24
PN:AC100-389-2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0090	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246002	NO. 2 AC/DC INVERTER							Component ATA:24
PN:AC100-389-2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0474	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246003		NO. 3 AC/DC INVERTER						Component ATA:24
PN:AC100-389-2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0498	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A22 ^S		INSPECT MAIN BATTERY						Service ATA:24
PN:RG-380E/44	MOS	29-Dec-25						
SN:41483265	HRS	2812.7	600 (+20)					
WC#: 24.050	AFL	2395						
PKG:6								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A23 ^S		INSPECT GROUNDING POINT OF LEFT/RIGHT GENERATORS BATTERY AND EXTERNAL POWER						Service ATA:24
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 24.015	AFL	2036						
PKG:6								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A24 ^S		INSPECT MAIN POWER BOX						Service ATA:24
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 24.080	AFL	2036						
PKG:6								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
400A02 ^S		INSPECT NO. 1 ENGINE STARTER/GENERATOR						Service ATA:24
PN:390-389001-0001	MOS	21-Sep-23						
SN:298AB	HRS	2666.5	600 (+20)					
WC#: 24.020	AFL	2259						
PKG:6								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
400A03	INSPECT NO. 1 ENGINE STARTER/GENERATOR BRUSHES							Service ATA:24
	MOS	06-Aug-20						
	HRS	2382	800 (+20)		3182	3202	347 (+20)	
	AFL	2036						
PROC. REF: CMM 24-30-00PROC. REF: CMM 24-30-00								
400B02 ^S	INSPECT NO. 2 ENGINE STARTER/GENERATOR							Service ATA:24
PN:390-389001-0001	MOS	21-Sep-23		TAC 37				
SN:496AB	HRS	2666.5	600 (+20)	TAC 284.5				
WC#: 24.030	AFL	2259		TAC 223				
PKG:6								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
400B03	INSPECT NO. 2 ENGINE STARTER/GENERATOR BRUSHES							Service ATA:24
	MOS	04-Oct-17						
	HRS	2144.9	800 (+20)		2944.9	2964.9	109.9 (+20)	
	AFL	1838						
PROC. REF: CMM 24-30-00PROC. REF: CMM 24-30-00								
OPS05	OPERATIONAL TEST ELECTRICAL SYSTEM LATENT FAILURE							Service ATA:24
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	2400 (+200)		4764.8	4964.8	1929.8 (+200)	
WC#: 24.040	AFL	2018						
PROC. REF: AMM 24-30-00PROC. REF: AMM 24-30-00								
SPC10	PERFORM LEVEL TEST OF STANDBY POWER SUPPLY							Service ATA:24
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
WC#: 24.160	AFL	0						
PROC. REF: CMM 24-32-17PROC. REF: CMM 24-32-17								
SPC13	ENERGY LEVEL TEST STANDBY POWER SUPPLY BATTERY							Service ATA:24
PN:390-384027-0001	MOS	23-Sep-25	12 (+30d/-30d)		23-Sep-26	23-Oct-26	110 d (+30)	
SN:1404	HRS	2777						
WC#: 24.140	AFL	2364						
PROC. REF: CMM 24-32-17PROC. REF: CMM 24-32-17								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
SPC22	CAPACITY CHECK MAIN BATTERY							Service ATA:24
PN:RG-380E/44	MOS	29-Dec-25	6 (+1m/-1m)		29-Jun-26	29-Jul-26	24 d (+30)	
SN:41483265	HRS	2812.7						
WC#: 24.050	AFL	2395						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
TBO16	NO. 1 ENGINE STARTER/GENERATOR							Component ATA:24
PN:390-389001-0001	MOS	21-Sep-23		TSO 0				OVERHAUL
SN:298AB	HRS	2666.5	1400	TSO 0	4066.5		1231.5	
WC#: 24.020	AFL	2259		TSO 0				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
TBO16	NO. 2 ENGINE STARTER/GENERATOR							Component ATA:24
PN:390-389001-0001	MOS	21-Sep-23		TSO 37				OVERHAUL
SN:496AB	HRS	2666.5	1400	TSO 284.5	3782		947	
WC#: 24.030	AFL	2259		TSO 223				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
TBO17	MAIN BATTERY							Component ATA:24
PN:RG-380E/44	MOS/MSC	29-Dec-25	O/C	TSN 0				
SN:41483265	HRS	2812.7		TSN 0				
WC#: 24.050	AFL	2395		TSN 0				
PROC. REF: CMM 24-30-71PROC. REF: CMM 24-30-71								
TBO19	STANDBY BATTERY							Component ATA:24
PN:390-384027-0001	MOS	21-Sep-23	48	TSO 0	21-Sep-27		473 d	
SN:1404	HRS	2666.5		TSO 0				
WC#: 24.100	AFL	2259		TSO 0				
PROC. REF: AMM 24-30-05PROC. REF: AMM 24-30-05								
ATA 25 - EQUIPMENT/FURNISHINGS								
200A08 ^S	INSPECT FLIGHT CREW SEATS							Service ATA:25
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 25.010	AFL	2036						

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
200B05	^S	INSPECT SEAT ATTACHMENT						Service ATA:25
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 25.030	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
256001		EMERGENCY LOCATOR TRANSMITTER						Component ATA:25
PN:453-5000-999	MOS/MSC	29-Apr-24	O/C					
SN:11062	HRS	2720.9						
WC#: 25.040	AFL	2310						
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256004		EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY						Component ATA:25
PN:4520133	MOS/MSC	29-Apr-24	O/C					
SN:1007149-038	HRS	2720.9						
	AFL	2310						
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
256011		ELT BLADE ANTENNA						Component ATA:25
PN:110-337	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:4024361	HRS	0		TSN 0				
WC#: 25.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256021		EMERGENCY EXIT PULL HANDLE						Component ATA:25
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256041	PILOT LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:20051350050	HRS	2415.8		TSN 0				
WC#: 25.110	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256042	COPILOT LIFE VEST							Component ATA:25
PN:P01074-113	MOS/MSC	02-Oct-21	O/C					
SN:18060450025	HRS	2415.8		TSN 0				
WC#: 25.110	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256051	NO. 1 LIFE VEST							Component ATA:25
PN:P01202-101	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:21061910028	HRS	2415.8		TSN 0				
WC#: 25.120	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256052	NO. 2 LIFE VEST							Component ATA:25
PN:P01202-101	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:21061910029	HRS	2415.8		TSN 0				
WC#: 25.120	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256053	NO. 3 LIFE VEST							Component ATA:25
PN:P01202-101	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:21061910030	HRS	2415.8		TSN 0				
WC#: 25.130	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256054	NO. 4 LIFE VEST							Component ATA:25
PN:P01202-101	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:210691910031	HRS	2415.8		TSN 0				
WC#: 25.130	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256055	NO. 5 LIFE VEST							Component ATA:25
PN:P01202-101	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:21061910032	HRS	2415.8		TSN 0				
WC#: 25.140	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
256056	NO. 6 LIFE VEST							Component ATA:25
PN:P01202-101	MOS/MSC	02-Oct-21	O/C	TSN 0				
SN:21061910033	HRS	2415.8		TSN 0				
WC#: 25.140	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
257021	MUFFIN FAN							Component ATA:25
PN:011868	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:100458744	HRS	0		TSN 0				
WC#: 25.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC02	REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY BATTERY							Service ATA:25
PN:4520133	MOS/MSC	01-May-24	DUE		31-May-29 (M)		1091 d	MANDATORY
SN:1007149-038	HRS	2720.9						
WC#: 25.040	AFL	2310						
Expiry Date: : 31-May-29								
PROC. REF: AMM 25-60-01PROC. REF: AMM 25-60-01								
SPC06	RECERTIFY COPILOT LIFE VEST							Service ATA:25
PN:P01074-113	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:18060450025	HRS	2415.8						
WC#: 25.110	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06	RECERTIFY NO. 1 LIFE VEST							Service ATA:25
PN:P01202-101	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:21061910028	HRS	2415.8						
WC#: 25.120	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC06		RECERTIFY NO. 2 LIFE VEST						Service ATA:25
PN:P01202-101	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:21061910029	HRS	2415.8						
WC#: 25.120	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06		RECERTIFY NO. 3 LIFE VEST						Service ATA:25
PN:P01202-101	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:21061910030	HRS	2415.8						
WC#: 25.130	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06		RECERTIFY NO. 4 LIFE VEST						Service ATA:25
PN:P01202-101	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:210691910031	HRS	2415.8						
WC#: 25.130	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06		RECERTIFY NO. 5 LIFE VEST						Service ATA:25
PN:P01202-101	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:21061910032	HRS	2415.8						
WC#: 25.140	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06		RECERTIFY NO. 6 LIFE VEST						Service ATA:25
PN:P01202-101	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:21061910033	HRS	2415.8						
WC#: 25.140	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC06		RECERTIFY PILOT LIFE VEST						Service ATA:25
PN:P01074-113	MOS	02-Oct-21	60 (+30d/-30d)		02-Oct-26	01-Nov-26	119 d (+30)	
SN:20051350050	HRS	2415.8						
WC#: 25.110	AFL	2058						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
SPC15	INSPECT EMERGENCY LOCATOR TRANSMITTER EMERGENCY LOCATOR TRANSMITTER FAR 91.207(D)							Service ATA:25
PN:453-5000-999	MOS	23-Sep-25	12 (+30d/-30d)		23-Sep-26	23-Oct-26	110 d (+30)	
SN:11062	HRS	2777						
WC#: 25.040	AFL	2364						
PROC. REF: GENERIC NO REF, FAR 91-207(D)PROC. REF: GENERIC NO REF, FAR 91-207(D)								
ATA 26 - FIRE PROTECTION								
200A01	HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:C352	MOS	15-Sep-16	144 (+30d/-30d)		15-Sep-28	15-Oct-28	833 d (+30)	MANDATORY
SN:B-74102222	HRS							
WC#: 26.060	AFL							
HydroCheck Date: : 15-Sep-16								
261001	FIRE DETECTION CONTROLLER							Component ATA:26
PN:477-90005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:9828-015	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				
PROC. REF: AMM 26-10-01PROC. REF: AMM 26-10-01								
262001	ENGINE FIRE BOTTLE EXTINGUISHER							Component ATA:26
PN:30400018-1	MOS/MSC	23-Sep-21	O/C	TSO 0				
SN:59451B1	HRS	2415.8		TSO 0				
WC#: 26.040	AFL	2058		TSO 0				
PROC. REF: AMM 26-20-01PROC. REF: AMM 26-20-01								
262010	ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:13083-5	MOS	21-Jan-25	72		28-Jun-29		1119 d	LIFE LIMIT
SN:N/A	HRS	2753.1		TSN 0				
WC#: 26.040	AFL	2339		TSN 0				
Manufacture Date:: 28-Jun-23								
PROC. REF: AMM 26-20-02PROC. REF: AMM 26-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262011	ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE							Component ATA:26
PN:13083-5	MOS	21-Jan-25	72		28-Jun-29		1119 d	LIFE LIMIT
SN:N/A	HRS	2753.1		TSN 0				
WC#: 26.040	AFL	2339		TSN 0				
Manufacture Date:: 28-Jun-23								
PROC. REF: AMM 26-20-02PROC. REF: AMM 26-20-02								
262013	REPLACE ENGINE NO. 1 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service ATA:26
PN:13083-5	MOS	21-Jan-25	48		21-Jan-29		961 d	SERVICE LIFE LIMIT
SN:N/A	HRS	2753.1						
WC#: 26.040	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262014	REPLACE ENGINE NO. 2 FIRE EXTINGUISHER CARTRIDGE (DATE OF SERVICE)							Service ATA:26
PN:13083-5	MOS	21-Jan-25	48		21-Jan-29		961 d	SERVICE LIFE LIMIT
SN:N/A	HRS	2753.1						
WC#: 26.040	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
262101	PORTABLE FIRE EXTINGUISHER							Component ATA:26
PN:C352	MOS/MSC	15-Sep-16	O/C	TSN 0				
SN:B-74102222	HRS	2017.3		TSN 0				
WC#: 26.060	AFL	1729		TSN 0				
PROC. REF: AMM 26-20-03PROC. REF: AMM 26-20-03								
300A26	VISUAL AND OPERATIONAL CHECK OF ENGINE FIRE EXTINGUISHING PLUMBING							Service ATA:26
	MOS	22-Jan-20						AIRWORTHINESS
	HRS	2367.1	1200 (+20/-20)		3567.1	3587.1	732.1 (+20)	
WC#: 26.040	AFL	2020						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A26I	INSPECT ENGINE FIRE EXTINGUISHER							Service ATA:26
	MOS	22-Jan-20						AIRWORTHINESS
	HRS	2367.1	1200 (+20/-20)		3567.1	3587.1	732.1 (+20)	
	AFL	2020						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
300A27 ^S	INSPECT BLEED AIR LEAK DETECTION SENSING ELEMENTS							Service ATA:26
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 26.010	AFL	2036						
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00								PKG:6
400A04 ^S	INSPECT NO. 1 ENGINE FIRE DETECTION LOOP AND TUBING							Service ATA:26
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 26.020	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
400B04 ^S	INSPECT NO. 2 ENGINE FIRE DETECTION LOOP AND TUBING							Service ATA:26
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 26.020	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
LIMITS01	HYDROSTATIC TEST ENGINE FIRE BOTTLE EXTINGUISHER							Service ATA:26
PN:30400018-1	MOS	23-Sep-21	60		23-Sep-26		110 d	MANDATORY
SN:59451B1	HRS	2415.8						
WC#: 26.040	AFL	2058						
HydroCheck Date: : 23-Sep-21								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
LIMITS03	HYDROSTATIC TEST PORTABLE FIRE EXTINGUISHER							Service ATA:26
PN:C352	MOS	15-Sep-16	144		15-Sep-28		833 d	MANDATORY
SN:B-74102222	HRS							
WC#: 26.060	AFL							
HydroCheck Date: : 15-Sep-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
OPS06	OPERATIONAL TEST FIRE DETECTION CONTROLLER AND SENSOR CABLE							Service ATA:26
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)		3564.8	3584.8	729.8 (+20)	
WC#: 26.030	AFL	2018						
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00								
OPS07	ENGINE FIRE EXTINGUISHING SYSTEM							Service ATA:26
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	1200 (+20/-20)		3564.8	3584.8	729.8 (+20)	
WC#: 26.050	AFL	2018						
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
SPC08	WEIGHT CHECK PORTABLE FIRE EXTINGUISHER							Service ATA:26
	MOS	23-Sep-25	12 (+30d/-30d)		23-Sep-26	23-Oct-26	110 d (+30)	MANDATORY
	HRS	2777						
WC#: 26.060	AFL	2364						
WeightCheck Date : : 23-Sep-25								
PROC. REF: AMM 26-20-00PROC. REF: AMM 26-20-00								
ATA 27 - FLIGHT CONTROLS								
100A01 ^S	INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.160	AFL	2018						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00								
PKG:7								
100A02 ^S	INSPECT FLIGHT CONTROL CABLES							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.150	AFL	2018						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00								
PKG:7								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
100A03 ^S	INSPECT RUDDER PEDALS							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.260	AFL	2018						
PROC. REF: AMM 27-00-00, AMM 27-20-00PROC. REF: AMM 27-00-00, AMM 27-20-00							PKG:7	
100B04 ^S	INSPECT FLIGHT CONTROL CABLES							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.720	AFL	2018						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00							PKG:7	
100B05 ^S	INSPECT FLIGHT CONTROL PULLEYS AND BRACKETS							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.710	AFL	2018						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00							PKG:7	
100B06 ^S	CHECK AILERON CONTROL CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.030	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00							PKG:6	
100B12 ^S	CHECK ELEVATOR CONTROL CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.355	AFL	2036						
PROC. REF: AMM 27-00-00, AMM 27-30-00PROC. REF: AMM 27-00-00, AMM 27-30-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
100B13 ^S	CHECK RUDDER CONTROL CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.255	AFL	2036						
PROC. REF: AMM 27-00-00, AMM 27-20-00PROC. REF: AMM 27-00-00, AMM 27-20-00								PKG:6
200A10 ^S	INSPECT CONTROL COLUMN							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.130	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6
200A11 ^S	INSPECT RUDDER PEDALS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.190	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								PKG:6
200D03 ^S	CHECK AILERON AUTOPILOT SERVO BRIDLE CABLE							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.020	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6
270001	LEFT PILOT POSITION SENSOR							Component ATA:27
PN:390-381012-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:D5693	HRS	0		TSN 0				
WC#: 27.730	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
270002	RIGHT CO-PILOT POSITION SENSOR							Component ATA:27
PN:390-381012-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:D5694	HRS	0	TSN 0					
WC#: 27.730	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
270011	LEFT CONTROL WHEEL							Component ATA:27
PN:390-382052-0007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0240	HRS	0	TSN 0					
WC#: 27.740	AFL	0	TSN 0					
PROC. REF: AMM 27-10-10PROC. REF: AMM 27-10-10								
270012	RIGHT CONTROL WHEEL							Component ATA:27
PN:390-382052-0008	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0233	HRS	0	TSN 0					
WC#: 27.740	AFL	0	TSN 0					
PROC. REF: AMM 27-10-10PROC. REF: AMM 27-10-10								
271001	LEFT AILERON TRIM TAB ACTUATOR							Component ATA:27
PN:390-381009-0007	MOS/MSC	01-Sep-09	O/C	TSR 0				
SN:158	HRS	776.3	TSR 0					
WC#: 27.750	AFL	592	TSR 0					
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02								
271002	RIGHT AILERON TRIM TAB ACTUATOR							Component ATA:27
PN:390-381009-0008	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:052	HRS	0	TSN 0					
WC#: 27.750	AFL	0	TSN 0					
PROC. REF: AMM 27-10-02PROC. REF: AMM 27-10-02								
271011	LEFT AILERON							Component ATA:27
PN:390-130001-0021	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6872186	HRS	0	TSN 0					
WC#: 27.760	AFL	0	TSN 0					
PROC. REF: AMM 27-10-01PROC. REF: AMM 27-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
271012		RIGHT AILERON					Component	ATA:27
PN:390-130001-0022	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6891723	HRS	0	TSN 0					
WC#: 27.760	AFL	0	TSN 0					
PROC. REF: AMM 27-10-01PROC. REF: AMM 27-10-01								
272001		RUDDER					Component	ATA:27
PN:390-630010-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0	TSN 0					
WC#: 27.250	AFL	0	TSN 0					
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
272005		RUDDER TRIM TAB					Component	ATA:27
PN:390-630050-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6819180	HRS	0	TSN 0					
WC#: 27.230	AFL	0	TSN 0					
PROC. REF: AMM 27-20-02PROC. REF: AMM 27-20-02								
272011		RUDDER TRIM TAB ACTUATOR					Component	ATA:27
PN:390-386003-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0149	HRS	0	TSN 0					
WC#: 27.780	AFL	0	TSN 0					
PROC. REF: AMM 27-20-03PROC. REF: AMM 27-20-03								
272021		LEFT INBOARD RUDDER BOOST PRESSURE TRANSDUCER					Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6810-11-334	HRS	0	TSN 0					
WC#: 27.790	AFL	0	TSN 0					
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								
272022		LEFT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER					Component	ATA:27
PN:APTE320-1000-300A	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6810-11-340	HRS	0	TSN 0					
WC#: 27.790	AFL	0	TSN 0					
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
272031	RIGHT INBOARD RUDDER BOOST PRESSURE TRANSDUCER							Component ATA:27
PN:APTE320-1000-300A	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6671-9-129	HRS	0		TSN 0				
WC#: 27.800	AFL	0		TSN 0				
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								
272032	RIGHT OUTBOARD RUDDER BOOST PRESSURE TRANSDUCER							Component ATA:27
PN:APTE320-1000-300A	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6671-9-111	HRS	0		TSN 0				
WC#: 27.800	AFL	0		TSN 0				
PROC. REF: AMM 27-20-16PROC. REF: AMM 27-20-16								
272041	VERTICAL STABILIZER ASSEMBLY							Component ATA:27
PN:390-640010-6002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 27.770	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
273001	LEFT ELEVATOR							Component ATA:27
PN:390-610100-0011	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
273002	RIGHT ELEVATOR							Component ATA:27
PN:390-610100-0012	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 27.290	AFL	0		TSN 0				
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
273011	ELEVATOR TAB GEARBOX							Component ATA:27
PN:390-526251-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:01220502ICT	HRS	0		TSN 0				
WC#: 27.810	AFL	0		TSN 0				
PROC. REF: AMM 27-30-10PROC. REF: AMM 27-30-10								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273101		LEFT AOA TRANSMITTER					Component	ATA:27
PN:SLZ8060-4	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AB0310	HRS	0	TSN 0					
WC#: 27.820	AFL	0	TSN 0					
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
273102		RIGHT AOA TRANSMITTER					Component	ATA:27
PN:SLZ8060-5	MOS/MSC	03-Mar-09	O/C	TSR 0				
SN:924882	HRS	696.9	TSR 0					
WC#: 27.820	AFL	499	TSR 0					
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
274001		PITCH TRIM CONTROL UNIT					Component	ATA:27
PN:390-384028-0011	MOS/MSC	01-Sep-09	O/C	TSN 0				
SN:3081	HRS	776.3	TSN 0					
WC#: 27.830	AFL	592	TSN 0					
PROC. REF: AMM 27-40-06PROC. REF: AMM 27-40-06								
274006		UPPER YOKE SCISSOR FITTING					Component	ATA:27
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 27.460	AFL	0	TSN 0					
PROC. REF: AMM 55-10-01PROC. REF: AMM 55-10-01								
274007		LOWER YOKE SCISSOR FITTING					Component	ATA:27
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 27.470	AFL	0	TSN 0					
PROC. REF: AMM 55-30-01PROC. REF: AMM 55-30-01								
274011		HORIZONTAL STABILIZER ASSEMBLY					Component	ATA:27
PN:390-620000-6001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0	TSN 0					
WC#: 27.840	AFL	0	TSN 0					
PROC. REF: AMM 27-40-01PROC. REF: AMM 27-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
274020	HORIZONTAL CENTER FITTING							Component ATA:27
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.490	AFL	0		TSN 0				
PROC. REF: AMM 27-40-01PROC. REF: AMM 27-40-01								
274021	LEFT HORIZONTAL STABILIZER POTENTIOMETER							Component ATA:27
PN:390-386043-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0458	HRS	0		TSN 0				
WC#: 27.850	AFL	0		TSN 0				
PROC. REF: AMM 27-40-03PROC. REF: AMM 27-40-03								
274022	RIGHT HORIZONTAL STABILIZER POTENTIOMETER							Component ATA:27
PN:390-386043-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0285	HRS	0		TSN 0				
WC#: 27.850	AFL	0		TSN 0				
PROC. REF: AMM 27-40-03PROC. REF: AMM 27-40-03								
275001	FLAP POTENTIOMETER							Component ATA:27
PN:390-381404-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:249	HRS	0		TSN 0				
WC#: 27.860	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275011	FLAP CONTROL UNIT							Component ATA:27
PN:390-381401-0013	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:K0197	HRS	0		TSN 0				
WC#: 27.860	AFL	0		TSN 0				
PROC. REF: AMM 27-50-08PROC. REF: AMM 27-50-08								
275021	LEFT OUTBOARD FLAP ASSEMBLY							Component ATA:27
PN:390-160002-0019	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6826667	HRS	0		TSN 0				
WC#: 27.870	AFL	0		TSN 0				
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275022	RIGHT OUTBOARD FLAP ASSEMBLY							Component ATA:27
PN:390-160001-6016	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6843876	HRS	0		TSN 0				
WC#: 27.870	AFL	0		TSN 0				
PROC. REF: AMM 27-50-02PROC. REF: AMM 27-50-02								
275023	LEFT INBOARD FLAP ASSEMBLY							Component ATA:27
PN:390-160001-0015	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0064	HRS	0		TSN 0				
WC#: 27.880	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
275024	RIGHT INBOARD FLAP ASSEMBLY							Component ATA:27
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.880	AFL	0		TSN 0				
PROC. REF: AMM 27-50-01PROC. REF: AMM 27-50-01								
275041	LEFT NO. 1 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381402-0018	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:G0183	HRS	0		TSN 0				
WC#: 27.890	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275042	LEFT NO. 2 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381402-0019	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:G0113	HRS	0		TSN 0				
WC#: 27.890	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275043	LEFT NO. 3 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381402-0017	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:G0333	HRS	0		TSN 0				
WC#: 27.890	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275044	LEFT NO.5 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381403-0011	MOS/MSC	23-Mar-11	O/C					
SN:H0469	HRS	1132.5						
WC#: 27.890	AFL	958						
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275061	RIGHT NO. 1 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381402-0017	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:G0342	HRS	0		TSN 0				
WC#: 27.900	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275062	RIGHT NO. 2 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381402-0020	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:G0146	HRS	0		TSN 0				
WC#: 27.900	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275063	RIGHT NO. 3 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381402-0018	MOS/MSC	03-Sep-18	O/C	TSO 0				
SN:G0598	HRS	2254.7		TSO 0				
WC#: 27.900	AFL	1937		TSO 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
275064	RIGHT NO. 5 FLAP ACTUATOR (MANDATORY)							Component ATA:27
PN:390-381403-0011	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:H0262	HRS	0		TSN 0				
WC#: 27.900	AFL	0		TSN 0				
PROC. REF: AMM 27-50-03PROC. REF: AMM 27-50-03								
276001	SPOILER CONTROL UNIT							Component ATA:27
PN:390-384011-0017	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0199	HRS	0		TSN 0				
WC#: 27.910	AFL	0		TSN 0				
PROC. REF: AMM 27-60-05PROC. REF: AMM 27-60-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276011		LEFT SPOILER (ROLL CONTROL) PANEL						Component ATA:27
PN:390-130005-0023	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6919511	HRS	0	TSN 0					
WC#: 27.920	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276012		RIGHT SPOILER (ROLL CONTROL) PANEL						Component ATA:27
PN:390-130005-0024	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6919-0769501	HRS	0	TSN 0					
WC#: 27.920	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276021		LEFT SPOILER SPEED BRAKE PANEL						Component ATA:27
PN:390-130004-0021	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6974811	HRS	0	TSN 0					
WC#: 27.930	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276022		RIGHT SPOILER SPEED BRAKE PANEL						Component ATA:27
PN:390-130004-0022	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:6919508	HRS	0	TSN 0					
WC#: 27.930	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276031		SPOILER CONTROL MODULE						Component ATA:27
PN:390-381006-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0154	HRS	0	TSN 0					
WC#: 27.940	AFL	0	TSN 0					
PROC. REF: AMM 27-60-01PROC. REF: AMM 27-60-01								
276041		LEFT UPLOCK RELEASE ACTUATOR						Component ATA:27
PN:390-381201-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1085	HRS	0	TSN 0					
WC#: 27.950	AFL	0	TSN 0					
PROC. REF: AMM 27-60-13PROC. REF: AMM 27-60-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276042		RIGHT UPLOCK RELEASE ACTUATOR						Component ATA:27
PN:390-381201-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1086	HRS	0	TSN 0					
WC#: 27.950	AFL	0	TSN 0					
PROC. REF: AMM 27-60-13PROC. REF: AMM 27-60-13								
276051		LEFT LIFT DUMP ACTUATOR						Component ATA:27
PN:390-381008-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0304	HRS	0	TSN 0					
WC#: 27.960	AFL	0	TSN 0					
PROC. REF: AMM 27-60-02PROC. REF: AMM 27-60-02								
276052		RIGHT LIFT DUMP ACTUATOR						Component ATA:27
PN:390-381008-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0296	HRS	0	TSN 0					
WC#: 27.960	AFL	0	TSN 0					
PROC. REF: AMM 27-60-02PROC. REF: AMM 27-60-02								
276061		LEFT BLOWDOWN ACTUATOR						Component ATA:27
PN:390-381010-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0323	HRS	0	TSN 0					
WC#: 27.970	AFL	0	TSN 0					
PROC. REF: AMM 27-60-03PROC. REF: AMM 27-60-03								
276062		RIGHT BLOWDOWN ACTUATOR						Component ATA:27
PN:390-381010-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0329	HRS	0	TSN 0					
WC#: 27.970	AFL	0	TSN 0					
PROC. REF: AMM 27-60-03PROC. REF: AMM 27-60-03								
276071		LEFT ROLL SPOILER ACTUATOR						Component ATA:27
PN:390-381007-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0340	HRS	0	TSN 0					
WC#: 27.980	AFL	0	TSN 0					
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276072		RIGHT ROLL SPOILER ACTUATOR						Component ATA:27
PN:390-381007-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0254R	HRS	0	TSN 0					
WC#: 27.980	AFL	0	TSN 0					
PROC. REF: AMM 27-60-04PROC. REF: AMM 27-60-04								
276081		LEFT SPOILER POSITION SENSOR						Component ATA:27
PN:390-381011-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:E0001	HRS	0	TSN 0					
WC#: 27.990	AFL	0	TSN 0					
PROC. REF: AMM 27-60-10PROC. REF: AMM 27-60-10								
276082		RIGHT SPOILER POSITION SENSOR						Component ATA:27
PN:390-381011-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:00066	HRS	0	TSN 0					
WC#: 27.990	AFL	0	TSN 0					
PROC. REF: AMM 27-60-10PROC. REF: AMM 27-60-10								
276091		LEFT SPOILER (LIFT DUMP) PANEL						Component ATA:27
PN:390-130003-0025	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6972182	HRS	0	TSN 0					
WC#: 27.995	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
276092		RIGHT SPOILER (LIFT DUMP) PANEL						Component ATA:27
PN:390-130003-0026	MOS/MSC	23-Apr-18	O/C	TSN 150, TSO 150				
SN:6978441	HRS	2210.3	TSN 2210.3					
WC#: 27.995	AFL	1894	TSN 1894					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A02		VISUAL CHECK ELEVATOR AND ATTACHMENT STRUCTURE						Service ATA:27
	MOS	29-Dec-25	48 (+30d/-30d)	29-Dec-29	28-Jan-30	1303 d (+30)	AIRWORTHINESS	
	HRS	2812.7	1200 (+20/-20)	4012.7	4032.7	1177.7 (+20)		
WC#: 27.300	AFL	2395						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300A04	VISUAL CHECK LOWER YOKE SCISSOR FITTING							Service ATA:27
PN:PN	MOS	29-Dec-25	48 (+30d/-30d)		29-Dec-29	28-Jan-30	1303 d (+30)	
SN:UNKNOWN	HRS	2812.7	1200 (+20/-20)		4012.7	4032.7	1177.7 (+20)	
WC#: 27.470	AFL	2395						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A04	VISUAL CHECK UPPER YOKE SCISSOR FITTING							Service ATA:27
PN:PN	MOS	29-Dec-25	48 (+30d/-30d)		29-Dec-29	28-Jan-30	1303 d (+30)	AIRWORTHINESS
SN:UNKNOWN	HRS	2812.7	1200 (+20/-20)		4012.7	4032.7	1177.7 (+20)	
WC#: 27.460	AFL	2395						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A05	INSPECT PITCH TRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHING AND STRUCTURE							Service ATA:27
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	400 (+20/-20)		3153.1	3173.1	318.1 (+20)	
WC#: 27.480	AFL	2339						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								
300A06	VISUAL CHECK RUDDER ATTACHMENT STRUCTURE							Service ATA:27
	MOS	29-Dec-25	48 (+30d/-30d)		29-Dec-29	28-Jan-30	1303 d (+30)	AIRWORTHINESS
	HRS	2812.7	1200 (+20/-20)		4012.7	4032.7	1177.7 (+20)	
WC#: 27.250	AFL	2395						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300A09	VISUAL/EDDY CURRENT INSPECT CENTER HORIZONTAL FITTING							Service ATA:27
	MOS	20-Mar-18						AIRWORTHINESS
	HRS	2203.9	6000 (+200)		8203.9	8403.9	5368.9 (+200)	
WC#: 27.500	AFL	1887						
PROC. REF: AMM 55-10-01PROC. REF: AMM 55-10-01								
300A28 ^S	INSPECT RUDDER/ELEVATOR FLIGHT CONTROL CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.240	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300B02 ^S INSPECT RUDDER Service ATA:27								
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.250	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	
300B03 ^S INSPECT RUDDER TRIM TAB Service ATA:27								
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.230	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	
300B04 ^S INSPECT RUDDER TRIM ACTUATOR AND LINKAGE Service ATA:27								
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.210	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	
300B05 ^S INSPECT RUDDER TRIM TAB HINGE Service ATA:27								
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.230	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	
300B06 ^S INSPECT RUDDER HINGES Service ATA:27								
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.180	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300B07 ^S	INSPECT RUDDER AUTOPILOT SERVO AND BRIDLE CABLE							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.170	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-20-00PROC. REF: AMM 20-14-00, AMM 27-20-00							PKG:6	
300B08 ^S	INSPECT RUDDER QUADRANT, BELLCRANK, STOP BOLTS, TORQUE TUBE, RUDDER COUNTER BALANCE AND CENTERING SPRING							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.200	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-20-00PROC. REF: AMM 20-14-00, AMM 27-20-00							PKG:6	
300B09 ^S	PERFORM RUDDER TRIM TAB FREEPLAY INSPECTION							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.220	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	
300B10 ^S	INSPECT ELEVATOR AUTOPILOT SERVO AND BRIDLE CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.310	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-30-00PROC. REF: AMM 20-14-00, AMM 27-30-00							PKG:6	
300B11 ^S	INSPECT ELEVATOR CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.320	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-30-00PROC. REF: AMM 20-14-00, AMM 27-30-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300B12 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM, ELEVATOR QUADRANT, PUSHROD, CONNECTING BOLTS, AND STOP BOLTS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.330	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6
300B13 ^S	INSPECT VERTICAL STABILIZER FRONT AND REAR SPAR ATTACHMENT							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 55.020	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
300B17 ^S	INSPECT RUDDER CABLE TENSION							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-20-00PROC. REF: AMM 20-14-00, AMM 27-20-00								PKG:6
300C02 ^S	INSPECT ELEVATOR CONTROL LINKAGE							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.340	AFL	2036						
PROC. REF: AMM 27-00-00, AMM 27-30-00PROC. REF: AMM 27-00-00, AMM 27-30-00								PKG:6
300C03	INSPECT PITCH TRIM ACTUATOR SYSTEM, PITCHTRIM ACTUATOR, ATTACHMENT BOLTS, UPPER BUSHINGS, AND STRUCTURE							Service ATA:27
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	400 (+20/-20)		3153.1	3173.1	318.1 (+20)	
WC#: 27.450	AFL	2339						
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300C04 ^S	INSPECT ELEVATOR							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.350	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00							PKG:6	
300C05 ^S	INSPECT ELEVATOR HINGES AND HINGE BOLTS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.360	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00							PKG:6	
300C06 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TABS AND HINGES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.370	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00							PKG:6	
300C07	VISUAL CHECK ELEVATOR TRIM TAB SYSTEM							Service ATA:27
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	400 (+20/-20)		3153.1	3173.1	318.1 (+20)	
WC#: 27.380	AFL	2339						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								
300C09 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB GEAR BOXES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.390	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
300C10 ^S	INSPECT ELEVATOR TRIM TAB SYSTEM - ELEVATOR TRIM TAB JACK SCREW							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.400	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6
300C11 ^S	INSPECT ELEVATOR TRIM TAB JACK SCREW FLEX SHAFT							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.410	AFL	2036						
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00								PKG:6
300C12 ^S	VISUALLY CHECK AFT PIVOT FITTING ASSEMBLY							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.520	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
300C17 ^S	INSPECT HORIZONTAL ATTACHMENT PIN							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.530	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
500C01 ^S	INSPECT LEFT WING FLAP DOORS (540LL, 540NL, 230HL)							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.570	AFL	2036						
PROC. REF: AMM 06-50-02, AMM 06-50-05PROC. REF: AMM 06-50-02, AMM 06-50-05								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
500C03 ^S	INSPECT LEFT WING SPOILER HYDRAULIC LINES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.640	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6
500C04 ^S	INSPECT LEFT WING AILERON CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.060	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:6
500C06 ^S	INSPECT LEFT WING AILERON AUTOPILOT SERVO AND CABLE							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.080	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-10-00PROC. REF: AMM 20-14-00, AMM 27-10-00								PKG:6
500C07	INSPECT LEFT AILERON TRIM TAB SYSTEM							Service ATA:27
	MOS	21-Jan-25						
	HRS	2753.1	400 (+20)		3153.1	3173.1	318.1 (+20)	
	AFL	2339						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
500C08 ^S	INSPECT LEFT WING AILERON TRIM TAB							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.090	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
500C09 ^S	INSPECT LEFT WING AILERON HINGES AND ATTACH POINTS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.100	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6
500C10	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service ATA:27
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	765 (+200)	
WC#: 27.120	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
500C11	INSPECT LEFT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service ATA:27
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	765 (+200)	
WC#: 27.140	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
500C12 ^S	INSPECT LEFT WING AILERON DRY BAY (530LL)							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.070	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6
500C13 ^S	INSPECT LEFT WING FLAP							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.580	AFL	2036						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
500C15	INSPECT LEFT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service ATA:27
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	200 (+20/-20)		2953.1	2973.1	118.1 (+20)	
WC#: 27.590	AFL	2339						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6
500C16 ^S	INSPECT LEFT WING FLAP ACTUATOR WIRING							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.600	AFL	2036						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6
500C17 ^S	INSPECT LEFT WING FLAP ROLLERS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.610	AFL	2036						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6
500C19 ^S	INSPECT LEFT WING SPOLIERS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.650	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6
500C20 ^S	INSPECT LEFT WING SPOILER HINGES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.660	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
500C21 ^S	INSPECT LEFT WING SPOILER DRY BAY (530EL)							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.680	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00							PKG:6	
500C22 ^S	INSPECT LEFT WING SPOILER ACTUATOR							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.700	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00							PKG:6	
500C23 ^S	INSPECT LEFT WING SPOILER BLOWDOWN ACTUATOR							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.670	AFL	2018						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00							PKG:7	
500C24	INSPECT LEFT WING LIFT DUMP ACTUATOR							Service ATA:27
	MOS	03-Jun-16						AIRWORTHINESS
	HRS	1963.1	1000 (+20/-20)		2963.1	2983.1	128.1 (+20)	
WC#: 27.690	AFL	1700						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
600C01 ^S	INSPECT RIGHT WING FLAP DOORS (640LL, 640NL, 230KR)							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.570	AFL	2036						
PROC. REF: AMM 06-50-02, AMM 06-50-05PROC. REF: AMM 06-50-02, AMM 06-50-05							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C03 ^S	INSPECT RIGHT WING SPOILER HYDRAULIC LINES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.640	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6
600C04 ^S	INSPECT RIGHT WING AILERON CABLES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.060	AFL	2036						
PROC. REF: AMM 20-14-00, AMM 27-00-00PROC. REF: AMM 20-14-00, AMM 27-00-00								PKG:6
600C07	INSPECT RIGHT AILERON TRIM TAB SYSTEM							Service ATA:27
	MOS	21-Jan-25						
	HRS	2753.1	400 (+20)		3153.1	3173.1	318.1 (+20)	
WC#: 27.110	AFL	2339						
PROC. REF: AMM 27-00-00, AMM 27-10-00PROC. REF: AMM 27-00-00, AMM 27-10-00								
600C08 ^S	INSPECT RIGHT WING AILERON TRIM TAB							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.090	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6
600C09 ^S	INSPECT RIGHT WING AILERON HINGES AND ATTACH POINTS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.100	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C10	INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM TAB							Service ATA:27
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	765 (+200)	
WC#: 27.120	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
600C11	INSPECT RIGHT WING AILERON TRIM TAB SYSTEM - AILERON TRIM ACTUATOR							Service ATA:27
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	765 (+200)	
WC#: 27.140	AFL	0						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								
600C12 ^S	INSPECT RIGHT WING AILERON DRY BAY (630LL)							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.070	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00								PKG:6
600C13 ^S	INSPECT RIGHT WING FLAP							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.580	AFL	2036						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6
600C15	INSPECT RIGHT WING FLAP ACTUATOR ATTACHMENTS - FLAP ACTUATORS							Service ATA:27
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	200 (+20/-20)		2953.1	2973.1	118.1 (+20)	
WC#: 27.590	AFL	2339						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C16 ^S	INSPECT RIGHT WING FLAP ACTUATOR WIRING							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.600	AFL	2036						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6
600C17 ^S	INSPECT RIGHT WING FLAP ROLLERS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.610	AFL	2036						
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00								PKG:6
600C18 ^S	INSPECT RIGHT WING FLAP POSITION TRANSMITTER							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.620	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
600C19 ^S	INSPECT RIGHT WING SPOILERS							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.650	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6
600C20 ^S	INSPECT RIGHT WING SPOILER HINGES							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.660	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
600C21 ^S	INSPECT RIGHT WING SPOILER DRY BAY (630EL)							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.680	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6
600C22 ^S	INSPECT RIGHT WING SPOILER ACTUATOR							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.700	AFL	2036						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:6
600C23 ^S	INSPECT RIGHT WING SPOILER BLOWDOWN ACTUATOR							Service ATA:27
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 27.670	AFL	2018						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								PKG:7
600C24	INSPECT RIGHT WING LIFT DUMP ACTUATOR							Service ATA:27
	MOS	03-Jun-16						AIRWORTHINESS
	HRS	1963.1	1000 (+20/-20)		2963.1	2983.1	128.1 (+20)	
WC#: 27.690	AFL	1700						
PROC. REF: AMM 27-60-00PROC. REF: AMM 27-60-00								
LIMITS07	PITCH TRIM ACTUATOR							Component ATA:27
PN:390-386004-0005	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:0144	HRS	0	6000	TSN 0	6000		3165	
WC#: 27.440	AFL	0		TSN 0				
PROC. REF: AMM 27-40-02PROC. REF: AMM 27-40-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
OPS08 ^S	ADJUSTMENT/CHECK AILERON SYSTEM							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.010	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00							PKG:6	
OPS09 ^S	FUNCTIONAL TEST ROLL TRIM							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.050	AFL	2036						
PROC. REF: AMM 27-10-00PROC. REF: AMM 27-10-00							PKG:6	
OPS10 ^S	FUNCTIONAL CHECK RUDDER SYSTEM							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.040	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	
OPS11	OPERATIONAL TEST RUDDER BOOST							Service ATA:27
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	800 (+20/-20)		3164.8	3184.8	329.8 (+20)	
WC#: 27.270	AFL	2018						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00								
OPS12 ^S	OPERATIONAL TEST RUDDER SYSTEM							Service ATA:27
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 27.280	AFL	2036						
PROC. REF: AMM 27-20-00PROC. REF: AMM 27-20-00							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
OPS13 ^S	FUNCTIONAL TEST ELEVATOR							Service	ATA:27
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 27.420	AFL	2036							
PROC. REF: AMM 27-30-00PROC. REF: AMM 27-30-00							PKG:6		
OPS14 ^S	OPERATIONAL TEST G SWITCH							Service	ATA:27
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 27.430	AFL	2036							
PROC. REF: AMM 27-31-00PROC. REF: AMM 27-31-00							PKG:6		
OPS15 ^S	OPERATIONAL CHECK HORIZONTAL STABILIZERS NORMAL							Service	ATA:27
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 27.550	AFL	2036							
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00							PKG:6		
OPS16	OPERATIONAL TEST TAKE-OFF CONFIGURATION WARNING							Service	ATA:27
	MOS	21-Jan-25						AIRWORTHINESS	
	HRS	2753.1	200 (+20/-20)		2953.1	2973.1	118.1 (+20)		
WC#: 27.560	AFL	2339							
PROC. REF: AMM 27-40-00PROC. REF: AMM 27-40-00									
OPS17 ^S	FUNCTIONAL TEST FLAP SYSTEM							Service	ATA:27
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 27.630	AFL	2036							
PROC. REF: AMM 27-50-00PROC. REF: AMM 27-50-00							PKG:6		
ATA 28 - FUEL									
200D04 ^S	REPLACE FUEL DISTRIBUTION FILTER ELEMENTS							Service	ATA:28
	MOS	06-Aug-20							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
	HRS	2382	600 (+20)						
WC#: 28.070	AFL	2036							
PROC. REF: AMM 28-20-08PROC. REF: AMM 28-20-08							PKG:6		
281001	REFUEL/DEFUEL ADAPTER							Component	ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-10-10PROC. REF: AMM 28-10-10									
281011	PRECHECK VALVE							Component	ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.120	AFL	0		TSN 0					
PROC. REF: AMM 28-10-11PROC. REF: AMM 28-10-11									
281021	FUEL CAP							Component	ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.130	AFL	0		TSN 0					
PROC. REF: AMM 28-10-10PROC. REF: AMM 28-10-10									
281071	NO. 1 OUTBOARD CHECK VALVE							Component	ATA:28
PN:101-389011-109	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0289	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: AMM 28-10-04PROC. REF: AMM 28-10-04									
281072	NO. 2 OUTBOARD CHECK VALVE							Component	ATA:28
PN:101-389011-109	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0291	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: AMM 28-10-04PROC. REF: AMM 28-10-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281081	LEFT WING FORWARD INBOARD FLOAT CHECK VALVE							Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281082	LEFT WING AFT INBOARD FLOAT CHECK VALVE							Component ATA:28
PN:118-381002-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:752	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281083	RIGHT WING FORWARD FLOAT VALVE							Component ATA:28
PN:118-381002-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:734	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281084	RIGHT WING AFT FLOAT VALVE							Component ATA:28
PN:118-381002-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:746	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281091	NO. 1 OUTBOARD FLOAT CHECK VALVE							Component ATA:28
PN:128-389031-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:435	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								
281092	NO. 2 OUTBOARD FLOAT CHECK VALVE							Component ATA:28
PN:128-389031-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:353	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-01PROC. REF: AMM 28-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282011	NO. 1 FUEL FILTER							Component ATA:28
PN:651540	MOS/MSC	18-Jul-18	O/C					
SN:UNKNOWN	HRS	2208						
WC#: 28.180	AFL	1891						
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07								
282012	NO. 2 FUEL FILTER							Component ATA:28
PN:651540	MOS/MSC	18-Jul-18	O/C					
SN:UNKNOWN	HRS	2208						
WC#: 28.180	AFL	1891						
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07								
282041	NO. 1 FUEL SHUTOFF VALVE							Component ATA:28
PN:118-389005-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:04-1113361	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-20-09PROC. REF: AMM 28-20-09								
282042	NO. 2 FUEL SHUTOFF VALVE							Component ATA:28
PN:118-389005-5	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:04-1113362	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: AMM 28-20-09PROC. REF: AMM 28-20-09								
282051	NO. 1 FUEL BOOST PUMP							Component ATA:28
PN:118-389006-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:11AV7	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01								
282052	NO. 2 FUEL BOOST PUMP							Component ATA:28
PN:118-389006-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:5AW45	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282061		NO. 1 MAIN TANK JET PUMP						Component ATA:28
PN:118-389007-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0180	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: AMM 28-20-02PROC. REF: AMM 28-20-02								
282062		NO. 2 MAIN TANK JET PUMP						Component ATA:28
PN:118-389007-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0256	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: AMM 28-20-02PROC. REF: AMM 28-20-02								
282071		NO. 1 TRANSFER JET PUMP						Component ATA:28
PN:128-389033-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:078	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05PROC. REF: AMM 28-20-05								
282072		NO. 2 TRANSFER JET PUMP						Component ATA:28
PN:128-389033-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0270	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: AMM 28-20-05PROC. REF: AMM 28-20-05								
282081		LEFT REFUEL/DEFUEL VALVE ASSEMBLY						Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.300	AFL	0		TSN 0				
PROC. REF: AMM 28-10-13PROC. REF: AMM 28-10-13								
282082		RIGHT REFUEL/DEFUEL VALVE ASSEMBLY						Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.300	AFL	0		TSN 0				
PROC. REF: AMM 28-10-13PROC. REF: AMM 28-10-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282091	LEFT PILOT CUTOFF VALVE ASSEMBLY							Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.310	AFL	0		TSN 0				
PROC. REF: AMM 28-10-12PROC. REF: AMM 28-10-12								
282092	RIGHT PILOT CUTOFF VALVE ASSEMBLY							Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.310	AFL	0		TSN 0				
PROC. REF: AMM 28-10-12PROC. REF: AMM 28-10-12								
282101	WING CROSS TRANSFER PUMP							Component ATA:28
PN:390-389016-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:186A	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 28-20-06PROC. REF: AMM 28-20-06								
284001	NO. 1 FUEL QUANTITY INDICATOR							Component ATA:28
PN:390-382032-0011EX	MOS/MSC	01-May-18	O/C	TSO 0				
SN:068	HRS	2212.3		TSO 0				
WC#: 28.230	AFL	1898		TSO 0				
PROC. REF: AMM 28-40-02PROC. REF: AMM 28-40-02								
284002	NO. 2 FUEL QUANTITY INDICATOR							Component ATA:28
PN:390-382032-0007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:037	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: AMM 28-40-02PROC. REF: AMM 28-40-02								
284011	LEFT NO. 1 FUEL PROBE							Component ATA:28
PN:390-389009-0021	MOS/MSC	29-Dec-06	O/C	TSN 0, TSO 0				
SN:0641-0015	HRS	299.6		TSN 0				
WC#: 28.240	AFL	180		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284012	LEFT NO. 2 FUEL PROBE							Component	ATA:28
PN:390-389009-0025	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0507-019	HRS	0	TSN 0						
WC#: 28.240	AFL	0	TSN 0						
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									
284013	LEFT NO. 3 FUEL PROBE							Component	ATA:28
PN:390-389009-0017	MOS/MSC	20-Apr-21	O/C						
SN:AAW0003	HRS	2400.9							
WC#: 28.240	AFL	2048							
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									
284014	LEFT NO. 4 FUEL PROBE							Component	ATA:28
PN:390-389009-0019	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:004-2035	HRS	0	TSN 0						
WC#: 28.240	AFL	0	TSN 0						
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									
284021	RIGHT NO. 1 FUEL PROBE							Component	ATA:28
PN:390-389009-0021	MOS/MSC	29-Dec-06	O/C	TSN 0, TSO 0					
SN:0641-0017	HRS	299.6	TSN 0						
WC#: 28.250	AFL	180	TSN 0						
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									
284022	RIGHT NO. 2 FUEL PROBE							Component	ATA:28
PN:390-389009-0025	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0235-001	HRS	0	TSN 0						
WC#: 28.250	AFL	0	TSN 0						
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									
284023	RIGHT NO. 3 FUEL PROBE							Component	ATA:28
PN:390-389009-0017	MOS/MSC	20-Apr-21	O/C						
SN:AAW0004	HRS	2400.9							
WC#: 28.250	AFL	2048							
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284024	RIGHT NO. 4 FUEL PROBE							Component ATA:28
PN:390-389009-0019	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0042-059	HRS	0		TSN 0				
WC#: 28.250	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
284041	NO. 1 LOW LEVEL SENSOR							Component ATA:28
PN:59843	MOS/MSC	22-Feb-22	O/C					
SN:MY0367	HRS	2468.3						
WC#: 28.260	AFL	2098						
PROC. REF: AMM 28-40-04PROC. REF: AMM 28-40-04								
284042	NO. 2 LOW LEVEL SENSOR							Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.260	AFL	0		TSN 0				
PROC. REF: AMM 28-40-04PROC. REF: AMM 28-40-04								
284051	NO. 1 FUEL PRESSURE SWITCH							Component ATA:28
PN:45AS48008-015	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:E063149	HRS	0		TSN 0				
WC#: 28.270	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05PROC. REF: AMM 28-40-05								
284052	NO. 2 FUEL PRESSURE SWITCH							Component ATA:28
PN:45AS48008-015	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:F000593	HRS	0		TSN 0				
WC#: 28.270	AFL	0		TSN 0				
PROC. REF: AMM 28-40-05PROC. REF: AMM 28-40-05								
284061	CROSS TRANSFER FLOW SWITCH							Component ATA:28
PN:V10F2-17	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:282	HRS	0		TSN 0				
WC#: 28.280	AFL	0		TSN 0				
PROC. REF: AMM 28-40-06PROC. REF: AMM 28-40-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284071	LEFT PRESSURE RELIEF VALVE							Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.290	AFL	0		TSN 0				
PROC. REF: AMM 28-10-03PROC. REF: AMM 28-10-03								
284072	RIGHT PRESSURE RELIEF VALVE							Component ATA:28
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.290	AFL	0		TSN 0				
PROC. REF: AMM 28-10-03PROC. REF: AMM 28-10-03								
500B02 ^S	INSPECT LEFT FUEL DIVERTER VALVE (520DL)							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.080	AFL	2018						
PROC. REF: AMM 28-20-13PROC. REF: AMM 28-20-13								
500B03 ^S	INSPECT LEFT FUEL VENT SYSTEM VALVES							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.030	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								
500B04 ^S	INSPECT LEFT FUEL VENT SYSTEM TUBES/HOSES							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.040	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
500B05 ^S	INSPECT LEFT FLAME ARRESTOR (VENT LINE)							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.050	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:7
500B06 ^S	INSPECT LEFT PRESSURE AND VACUUM RELIEF VALVE							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.060	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:7
500B10 ^S	INSPECT LEFT WING FUEL DRAIN VALVES							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.200	AFL	2018						
PROC. REF: AMM 28-00-00PROC. REF: AMM 28-00-00								PKG:7
600B02 ^S	INSPECT RIGHT FUEL DIVERTER VALVE (620DL)							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.080	AFL	2018						
PROC. REF: AMM 28-20-13PROC. REF: AMM 28-20-13								PKG:7
600B03 ^S	INSPECT RIGHT FUEL VENT SYSTEM VALVES							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.030	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
600B04 ^S	INSPECT RIGHT FUEL VENT SYSTEM TUBES/HOSES							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.040	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00							PKG:7	
600B05 ^S	INSPECT RIGHT FLAME ARRESTOR (VENT LINE)							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.050	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00							PKG:7	
600B06 ^S	INSPECT RIGHT PRESSURE AND VACUUM RELIEF VALVE							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.060	AFL	2018						
PROC. REF: AMM 28-10-00PROC. REF: AMM 28-10-00							PKG:7	
600B10 ^S	INSPECT RIGHT WING FUEL DRAIN VALVES							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.200	AFL	2018						
PROC. REF: AMM 28-00-00PROC. REF: AMM 28-00-00							PKG:7	
OPS18 ^S	OPERATIONAL TEST FUEL INDICATING SYSTEM							Service ATA:28
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 28.100	AFL	2018						
PROC. REF: AMM 28-40-00PROC. REF: AMM 28-40-00							PKG:7	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
290001	NO. 1 SHUT-OFF VALVE							Component	ATA:29
PN:45AS65014-003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:307099	HRS	0	TSN 0						
WC#: 29.040	AFL	0	TSN 0						
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03									
290002	NO. 2 SHUT-OFF VALVE							Component	ATA:29
PN:45AS65014-003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:04-0701192	HRS	0	TSN 0						
WC#: 29.040	AFL	0	TSN 0						
PROC. REF: AMM 29-10-03PROC. REF: AMM 29-10-03									
291001	HYDRAULIC PACKAGE							Component	ATA:29
PN:390-384403-0009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0064	HRS	0	TSN 0						
WC#: 29.010	AFL	0	TSN 0						
PROC. REF: AMM 29-10-02PROC. REF: AMM 29-10-02									
291011	NO. 1 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:390-389022-0003	MOS/MSC	19-Apr-13	O/C						
SN:K0066	HRS	1468.7							
WC#: 29.070	AFL	1296							
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01									
291012	NO. 2 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:390-389022-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:K0359	HRS	0	TSN 0						
WC#: 29.070	AFL	0	TSN 0						
PROC. REF: AMM 29-10-01PROC. REF: AMM 29-10-01									
293001	HYDRAULIC PRESSURE INDICATOR							Component	ATA:29
PN:390-382009-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:99L217	HRS	0	TSN 0						
WC#: 29.050	AFL	0	TSN 0						
PROC. REF: AMM 29-30-01PROC. REF: AMM 29-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
300A29 ^S	INSPECT HYDRAULIC PACKAGE							Service ATA:29
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 29.010	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300A30 ^S	INSPECTION/CHECK HYDRAULIC PACKAGE INLET AIR FILTER/CHECK VALVE							Service ATA:29
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 29.010	AFL	2036						
PROC. REF: AMM 29-10-11PROC. REF: AMM 29-10-11								PKG:6
LIMITS11	REPLACE LEFT ENGINE HYDRAULIC PUMP (P/N 390-580035-1 OR P/N 390-580035-5) TUBE							Component ATA:29
PN:PN	MOS/MSC	25-Oct-05	A/R	TSN 0, TSO 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC23	REPLACE HYDRAULIC PACKAGE PRESSURE AND RETURN FILTERS, PERFORM LEAK AND OPS CHECK							Service ATA:29
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	400 (+20)		3153.1	3173.1	318.1 (+20)	
WC#: 29.030	AFL	2339						
PROC. REF: CMM 29-10-02, AMM 29-10-02, AMM 29-10-08PROC. REF: CMM 29-10-02, AMM 29-10-02, AMM 29-10-08								
ATA 30 - ICE AND RAIN PROTECTION								
100E06	INSPECT FRONT AND SIDE WINDSHIELDS							Service ATA:30
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 30.160	AFL	2339						
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
200D06 ^S	INSPECT ANTI-ICE DUCTS							Service	ATA:30
	MOS	19-Sep-19							
	HRS	2364.8	1200 (+20)						
WC#: 30.010	AFL	2018							
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00							PKG:7		
300A31 ^S	INSPECT ANTI-ICE CROSS FEED VALVE							Service	ATA:30
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 30.020	AFL	2036							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:6		
300C14 ^S	INSPECT ENERGY STORAGE BANK							Service	ATA:30
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 30.030	AFL	2036							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:6		
300C18	REPLACE LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
	MOS	25-Oct-05						LIFE LIMIT	
	HRS	0	5400		5400		2565		
WC#: 30.100	AFL	0							
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03									
300C18	REPLACE LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service	ATA:30
	MOS	25-Oct-05						LIFE LIMIT	
	HRS	0	5400		5400		2565		
	AFL	0							
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18	REPLACE LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18	REPLACE LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
WC#: 30.100	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18	REPLACE RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 3 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300C18	REPLACE RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
300C18	REPLACE RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR (MANDATORY)							Service ATA:30
	MOS	25-Oct-05						LIFE LIMIT
	HRS	0	5400		5400		2565	
	AFL	0						
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301001	ANTI-ICE CROSSFEED VALVE							Component ATA:30
PN:390-385013-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0128	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								
301011	NO. 1 EJECTOR PUMP							Component ATA:30
PN:390-385041-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0312	HRS	0		TSN 0				
WC#: 30.190	AFL	0		TSN 0				
PROC. REF: AMM 30-10-02PROC. REF: AMM 30-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301012		NO. 2 EJECTOR PUMP						Component ATA:30
PN:390-385041-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0315	HRS	0	TSN 0					
WC#: 30.190	AFL	0	TSN 0					
PROC. REF: AMM 30-10-02PROC. REF: AMM 30-10-02								
301021		DE-ICING CONTROL UNIT						Component ATA:30
PN:390-384013-0007	MOS/MSC	08-Jan-10	O/C	TSR 0				
SN:0059	HRS	880.8	TSR 0					
WC#: 30.200	AFL	688	TSR 0					
PROC. REF: AMM 30-11-01PROC. REF: AMM 30-11-01								
301031		LEFT HAND PRESSURE REGULATOR AND SOLENOID VALVE						Component ATA:30
PN:390-385036-0009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0385	HRS	0	TSN 0					
WC#: 30.040	AFL	0	TSN 0					
PROC. REF: AMM 30-10-09PROC. REF: AMM 30-10-09								
301032		RIGHT HAND PRESSURE REGULATOR AND SOLENOID VALVE						Component ATA:30
PN:390-385036-0011	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0401	HRS	0	TSN 0					
WC#: 30.040	AFL	0	TSN 0					
PROC. REF: AMM 30-10-09PROC. REF: AMM 30-10-09								
301101		NO. 1 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY						Component ATA:30
PN:390-620097-6003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:198	HRS	0	TSN 0					
WC#: 30.210	AFL	0	TSN 0					
PROC. REF: AMM 30-11-04PROC. REF: AMM 30-11-04								
301102		NO. 2 HORIZONTAL DE-ICE LEADING EDGE ASSEMBLY						Component ATA:30
PN:390-620097-6004	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:159	HRS	0	TSN 0					
WC#: 30.210	AFL	0	TSN 0					
PROC. REF: AMM 30-11-04PROC. REF: AMM 30-11-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301111	NO. 1 ENERGY STORAGE BANK							Component ATA:30
PN:390-386000-0001	MOS/MSC	07-Feb-17	O/C	TSO 0				
SN:0144	HRS	2056.2		TSO 0				
WC#: 30.230	AFL	1771		TSO 0				
PROC. REF: AMM 30-11-02PROC. REF: AMM 30-11-02								
301112	NO. 2 ENERGY STORAGE BANK							Component ATA:30
PN:390-386000-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0180	HRS	0		TSN 0				
WC#: 30.230	AFL	0		TSN 0				
PROC. REF: AMM 30-11-02PROC. REF: AMM 30-11-02								
301120	LEFT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301121	LEFT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301122	LEFT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301123	LEFT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301124	LEFT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301125	LEFT NO. 3 REPLACE ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301126	LEFT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301127	LEFT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301128	LEFT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301129	LEFT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301130	LEFT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301131	LEFT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301132	RIGHT NO. 1 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301133	RIGHT NO. 10 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301134	RIGHT NO. 11 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301135	RIGHT NO. 12 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301136	RIGHT NO. 2 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301137	RIGHT NO. 3 RIGHT ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301138	RIGHT NO. 4 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301139	RIGHT NO. 5 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301140	RIGHT NO. 6 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301141	RIGHT NO. 7 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301142	RIGHT NO. 8 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
301143	RIGHT NO. 9 ELECTROMAGNETIC EXPULSIVE DEICE (EMED) ACTUATOR							Component ATA:30
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-11-03PROC. REF: AMM 30-11-03								
308001	NO. 1 ICE DETECTOR							Component ATA:30
PN:0871KK2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0400	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-80-01PROC. REF: AMM 30-80-01								
308002	NO. 2 ICE DETECTOR							Component ATA:30
PN:0871KK2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0326	HRS	0		TSN 0				
WC#: 30.220	AFL	0		TSN 0				
PROC. REF: AMM 30-80-01PROC. REF: AMM 30-80-01								
OPS20	OPERATIONAL TEST WING ANTI-ICE CROSS FEED VALVE AND ANTI-ICE SWITCHES							Service ATA:30
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	400 (+20/-20)		3153.1	3173.1	318.1 (+20)	
WC#: 30.180	AFL	2339						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
OPS21	OPERATIONAL TEST STRUCTURE OVER TEMPERATURE SWITCH							Service ATA:30
	MOS	01-Aug-07						AIRWORTHINESS
	HRS	398	3600 (+200)		3998	4198	1163 (+200)	
WC#: 30.070	AFL	235						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
OPS22	OPERATIONAL TEST LEADING EDGE OVER TEMPERATURE SWITCH							Service ATA:30
	MOS	01-Aug-07						AIRWORTHINESS
	HRS	398	3600 (+200)		3998	4198	1163 (+200)	
WC#: 30.080	AFL	235						
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
OPS23 ^S	OPERATIONAL TEST AUTO MODE							Service ATA:30
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 30.090	AFL	2018						
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
OPS24 ^S	OPERATIONAL TEST MANUAL MODE (EMED)							Service ATA:30
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	1200 (+20/-20)					
WC#: 30.090	AFL	2018						
PROC. REF: AMM 30-11-00PROC. REF: AMM 30-11-00								
OPS26 ^S	OPERATIONAL CHECK TT2 SENSOR							Service ATA:30
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 30.120	AFL	2036						
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								
OPS27	OPERATIONAL TEST ENGINE ANTI-ICE PRESSURE SWITCH							Service ATA:30
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	3600 (+200)		3600	3800	765 (+200)	
WC#: 30.130	AFL	0						
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
OPS28 ^S		OPERATIONAL TEST PITOT STATIC PROBE HEAT						Service ATA:30
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 30.140	AFL	2036						
PROC. REF: AMM 30-30-00PROC. REF: AMM 30-30-00							PKG:6	
OPS30 ^S		OPERATIONAL TEST FRONT AND SIDE WINDSHIELD HEAT						Service ATA:30
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 30.170	AFL	2036						
PROC. REF: AMM 30-40-00PROC. REF: AMM 30-40-00							PKG:6	
ATA 31 - INDICATING/RECORDING SYSTEMS								
311011		CABIN BRIEFER						Component ATA:31
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311013		DIFFERENTIAL PRESSURE GAUGE INDICATOR						Component ATA:31
PN:390-382025-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:506271	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311041		PITCH TRIM INDICATOR						Component ATA:31
PN:390-382034-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:99D98	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 27-40-04PROC. REF: AMM 27-40-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
311051		RUDDER TRIM INDICATOR						Component ATA:31
PN:390-382035-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:99H89	HRS	0	TSN 0					
WC#: 31.050	AFL	0	TSN 0					
PROC. REF: AMM 27-20-04PROC. REF: AMM 27-20-04								
311061		ROLL TRIM INDICATOR						Component ATA:31
PN:390-382036-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:99C782	HRS	0	TSN 0					
WC#: 31.050	AFL	0	TSN 0					
PROC. REF: AMM 27-10-04PROC. REF: AMM 27-10-04								
311071		FLAP INDICATOR						Component ATA:31
PN:390-382037-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:04E53	HRS	0	TSN 0					
WC#: 31.060	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311075		ANNUNCIATOR						Component ATA:31
PN:390-382004-0013	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0160	HRS	0	TSN 0					
WC#: 31.080	AFL	0	TSN 0					
PROC. REF: AMM 31-10-01PROC. REF: AMM 31-10-01								
311091		NO. 1 DC LOAD INDICATOR						Component ATA:31
PN:390-382030-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:03J115	HRS	0	TSN 0					
WC#: 31.070	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311092		NO. 2 DC LOAD INDICATOR						Component ATA:31
PN:390-382030-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:03J114	HRS	0	TSN 0					
WC#: 31.070	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
311097	DC VOLTMETER							Component ATA:31
PN:390-382031-0003	MOS/MSC	01-Sep-09	O/C					
SN:06F886	HRS	776.3						
WC#: 31.090	AFL	592						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313031	MATRIX SWITCH							Component ATA:31
PN:851-38606-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0193	HRS	0		TSN 0				
WC#: 21.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314001	MAINTENANCE DIAGNOSTIC COMPUTER							Component ATA:31
PN:822-1987-005	MOS/MSC	22-Feb-22	O/C	TSO 0				
SN:3J1PV	HRS	2468.3		TSO 0				
WC#: 31.100	AFL	2098		TSO 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314011	ICC-3000 COMPUTER							Component ATA:31
PN:822-1129-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1XTGH	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314021	IEC-3001 CARD CAGE							Component ATA:31
PN:822-1167-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1XYBF	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314031	NO. 1 PWR-3000 CARD CAGE							Component ATA:31
PN:822-1137-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1XPOF	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314032		NO. 2 PWR-3000 CARD CAGE						Component ATA:31
PN:822-1137-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1XP0K	HRS	0	TSN 0					
WC#: 31.130	AFL	0	TSN 0					
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314041		NO. 1 IOC-3100 CARD CAGE						Component ATA:31
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 31.140	AFL	0	TSN 0					
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314042		NO. 2 IOC-3100 CARD CAGE						Component ATA:31
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 31.140	AFL	0	TSN 0					
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
314051		NO. 1 DATA CONCENTRATOR UNIT						Component ATA:31
PN:822-1132-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1L7PW	HRS	0	TSN 0					
WC#: 31.150	AFL	0	TSN 0					
PROC. REF: AMM 31-40-02PROC. REF: AMM 31-40-02								
314052		NO. 2 DATA CONCENTRATOR UNIT						Component ATA:31
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 31.150	AFL	0	TSN 0					
PROC. REF: AMM 31-40-02PROC. REF: AMM 31-40-02								
314061		NO. 1 OPTION CONTROL MODULE						Component ATA:31
PN:822-1484-228	MOS/MSC	30-Sep-17	O/C	TSN 0				
SN:4C5604	HRS	2144.6	TSN 0					
WC#: 31.160	AFL	1837	TSN 0					
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314062	NO. 2 OPTION CONTROL MODULE							Component ATA:31
PN:822-1484-228	MOS/MSC	30-Sep-17	O/C	TSN 0				
SN:4C55MT	HRS	2144.6		TSN 0				
WC#: 31.160	AFL	1837		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
315001	AURAL WARNING GENERATOR							Component ATA:31
PN:630-007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:665	HRS	0		TSN 0				
WC#: 31.170	AFL	0		TSN 0				
PROC. REF: AMM 31-50-03PROC. REF: AMM 31-50-03								
OPS31	TEST FLAPS AND SPOILERS TAKEOFF CONFIGURATION WARNING							Service ATA:31
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	200 (+20/-20)		2953.1	2973.1	118.1 (+20)	
WC#: 31.020	AFL	2339						
PROC. REF: AMM 31-50-00PROC. REF: AMM 31-50-00								
OPS37	CHECK DCU AURAL WARNING							Service ATA:31
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	200 (+20/-20)		2953.1	2973.1	118.1 (+20)	
WC#: 31.010	AFL	2339						
PROC. REF: AMM 31-40-02PROC. REF: AMM 31-40-02								
ATA 32 - LANDING GEAR								
100A04 ^S	INSPECT BRAKE CONTROL CABLE, LINKAGE, AND CONNECTORS - PARKING BRAKE							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 32.240	AFL	2018						
								PKG:7
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
100A05 ^S	INSPECT STEERING BELLCRANKS AND PUSHRODS							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 32.340	AFL	2018						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00								PKG:7
100A06 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 32.100	AFL	2018						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								PKG:7
100A07 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION FORWARD QUADRANT							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 32.020	AFL	2018						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								PKG:7
100A08 ^S	INSPECT BRAKE LINKAGE							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 32.250	AFL	2018						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:7
100B07 ^S	INSPECT LANDING GEAR ALTERNATE EXTENSION CABLES							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 32.010	AFL	2018						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
200D07 ^S	INSPECT BRAKE ASSEMBLIES - BRAKE SYSTEM							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.320	AFL	2036						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								PKG:6
200D08	INSPECT ANTI-SKID SYSTEM							Service ATA:32
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	400 (+20/-20)		3153.1	3173.1	318.1 (+20)	
	AFL	2339						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
320001	LANDING GEAR CONTROL							Component ATA:32
PN:390-382011-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:160	HRS	0		TSN 0				
WC#: 32.410	AFL	0		TSN 0				
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01								
320011	LANDING GEAR SELECTOR VALVE							Component ATA:32
PN:390-381200-0007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0166	HRS	0		TSN 0				
WC#: 32.420	AFL	0		TSN 0				
PROC. REF: AMM 32-30-02PROC. REF: AMM 32-30-02								
321001	LEFT MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.430	AFL	0		TSN 0				
PROC. REF: AMM 32-30-11PROC. REF: AMM 32-30-11								
321002	RIGHT MAIN LANDING GEAR DOOR ACTUATOR							Component ATA:32
PN:390-381202-0006	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0310	HRS	0		TSN 0				
WC#: 32.430	AFL	0		TSN 0				
PROC. REF: AMM 32-30-11PROC. REF: AMM 32-30-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321011		LEFT MAIN LANDING GEAR ASSEMBLY						Component ATA:32
PN:390-810001-0007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:02170501ICT	HRS	0	TSN 0					
WC#: 32.070	AFL	0	TSN 0					
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321012		RIGHT MAIN LANDING GEAR ASSEMBLY						Component ATA:32
PN:390-810001-0008	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:02220501ICT	HRS	0	TSN 0					
WC#: 32.070	AFL	0	TSN 0					
PROC. REF: AMM 32-10-01PROC. REF: AMM 32-10-01								
321021		LEFT MAIN LANDING GEAR RESTRICTOR						Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 32.440	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321022		RIGHT MAIN LANDING GEAR RESTRICTOR						Component ATA:32
PN:390-388113-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0170	HRS	0	TSN 0					
WC#: 32.440	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321031		LEFT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY						Component ATA:32
PN:390-381203-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:410	HRS	0	TSN 0					
WC#: 32.450	AFL	0	TSN 0					
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
321032		RIGHT MAIN LANDING GEAR UPLOCK CABLE ASSEMBLY						Component ATA:32
PN:390-381203-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:419	HRS	0	TSN 0					
WC#: 32.450	AFL	0	TSN 0					
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321041	LEFT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY							Component ATA:32
PN:390-381204-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:354	HRS	0		TSN 0				
WC#: 32.460	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
321042	RIGHT MAIN LANDING GEAR DOOR UPLOCK CABLE ASSEMBLY							Component ATA:32
PN:390-381204-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:353	HRS	0		TSN 0				
WC#: 32.460	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
321052	VALVE PACKAGE CABLE ASSEMBLY							Component ATA:32
PN:390-381205-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:224	HRS	0		TSN 0				
WC#: 32.650	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
322001	NOSE LANDING GEAR DOWNLOCK ACTUATOR							Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.470	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
322011	NOSE LANDING GEAR ASSY							Component ATA:32
PN:390-820001-0001	MOS/MSC	15-Aug-08	O/C					
SN:06110302ICT	HRS	582.3						
WC#: 32.480	AFL	385						
PROC. REF: AMM 32-20-01PROC. REF: AMM 32-20-01								
323001	NOSE LANDING GEAR RETRACT ACTUATOR							Component ATA:32
PN:390-388200-0001	MOS/MSC	26-Feb-10	O/C	TSR 0				
SN:186	HRS	932		TSR 0				
WC#: 32.490	AFL	738		TSR 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323011	NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR							Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: AMM 32-30-06PROC. REF: AMM 32-30-06								
323021	NOSE LANDING GEAR UPLOCK ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: AMM 32-30-06PROC. REF: AMM 32-30-06								
323031	LEFT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR							Component ATA:32
PN:390-381201-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0789	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08PROC. REF: AMM 32-30-08								
323032	RIGHT MAIN LANDING GEAR UPLOCK RELEASE ACTUATOR							Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.510	AFL	0		TSN 0				
PROC. REF: AMM 32-30-08PROC. REF: AMM 32-30-08								
323041	LEFT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR							Component ATA:32
PN:390-381201-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0788	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12PROC. REF: AMM 32-30-12								
323042	RIGHT MAIN LANDING GEAR DOOR UPLOCK ACTUATOR							Component ATA:32
PN:390-381201-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1067	HRS	0		TSN 0				
WC#: 32.520	AFL	0		TSN 0				
PROC. REF: AMM 32-30-12PROC. REF: AMM 32-30-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323051		LEFT MAIN LANDING GEAR RETRACT ACTUATOR						Component ATA:32
PN:390-388100-0007	MOS/MSC	15-Mar-06	O/C	TSN 0, TSO 0				
SN:0220	HRS	136.2	TSN 0					
WC#: 32.210	AFL	85	TSN 0					
PROC. REF: AMM 32-30-07PROC. REF: AMM 32-30-07								
323052		RIGHT MAIN LANDING GEAR RETRACT ACTUATOR						Component ATA:32
PN:390-388100-0008	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0370	HRS	0	TSN 0					
WC#: 32.210	AFL	0	TSN 0					
PROC. REF: AMM 32-30-07PROC. REF: AMM 32-30-07								
323061		MAIN LANDING GEAR EXTEND VALVE						Component ATA:32
PN:390-388112-0009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0233	HRS	0	TSN 0					
WC#: 32.530	AFL	0	TSN 0					
PROC. REF: AMM 32-30-14PROC. REF: AMM 32-30-14								
323071		MAIN LANDING GEAR EMERGENCY CABLE ASSEMBLY						Component ATA:32
PN:390-384317-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:225	HRS	0	TSN 0					
WC#: 32.540	AFL	0	TSN 0					
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
324001		POWER BRAKE VALVE						Component ATA:32
PN:390-384300-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:284	HRS	0	TSN 0					
WC#: 32.550	AFL	0	TSN 0					
PROC. REF: AMM 32-40-05PROC. REF: AMM 32-40-05								
324011		HYDRAULIC ACCUMULATOR						Component ATA:32
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 32.560	AFL	0	TSN 0					
PROC. REF: AMM 32-40-13PROC. REF: AMM 32-40-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324021	PARKING BRAKE VALVE							Component	ATA:32
PN:390-384114-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0211	HRS	0	TSN 0						
WC#: 32.570	AFL	0	TSN 0						
PROC. REF: AMM 32-40-15PROC. REF: AMM 32-40-15									
324031	NOSE LANDING GEAR WHEEL							Component	ATA:32
PN:390-820100-0001	MOS/MSC	23-Apr-17	O/C	TSN 138, TSO 91, TSR 70					
SN:0208	HRS	2092.8	TSN 2092.8, TSO 1316.5, TSR 921						
WC#: 32.580	AFL	1801	TSN 1801, TSO 1209, TSR 808						
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01									
324041	NOSE LANDING GEAR TIRE							Component	ATA:32
PN:030-611-0	MOS/MSC	23-Apr-17	O/C	TSN 0					
SN:7016S00339	HRS	2092.8	TSN 0						
WC#: 32.580	AFL	1801	TSN 0						
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01									
324051	LEFT MAIN LANDING GEAR WHEEL ASSY							Component	ATA:32
PN:3-1576	MOS/MSC	29-Dec-25	O/C						
SN:0487	HRS	2812.7							
WC#: 32.590	AFL	2395							
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02									
324052	RIGHT MAIN LANDING GEAR WHEEL ASSY							Component	ATA:32
PN:3-1576	MOS/MSC	16-Feb-24	O/C						
SN:0494	HRS	2709.6							
WC#: 32.600	AFL	2299							
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02									
324061	LEFT MAIN LANDING GEAR TIRE							Component	ATA:32
PN:026-618-0	MOS/MSC	29-Dec-25	O/C	TSN 0					
SN:5174P00004	HRS	2812.7	TSN 0						
WC#: 32.590	AFL	2395	TSN 0						
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324062	RIGHT MAIN LANDING GEAR TIRE							Component ATA:32
PN:026-618-0	MOS/MSC	16-Feb-24	O/C	TSN 0				
SN:3005P00083	HRS	2709.6		TSN 0				
WC#: 32.600	AFL	2299		TSN 0				
PROC. REF: AMM 32-40-02PROC. REF: AMM 32-40-02								
324071	LEFT MAIN LANDING GEAR BRAKE ASSEMBLY							Component ATA:32
PN:390-388103-0007	MOS/MSC	22-Feb-22	O/C	TSO 0				
SN:0734	HRS	2468.3		TSO 0				
WC#: 32.660	AFL	2098		TSO 0				
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								
324072	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY							Component ATA:32
PN:390-388103-0007	MOS/MSC	22-Feb-22	O/C	TSO 0				
SN:0535	HRS	2468.3		TSO 0				
WC#: 32.660	AFL	2098		TSO 0				
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								
324101	ANTI-SKID CONTROL UNIT							Component ATA:32
PN:390-384032-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:243	HRS	0		TSN 0				
WC#: 32.610	AFL	0		TSN 0				
PROC. REF: AMM 32-40-04PROC. REF: AMM 32-40-04								
325001	NOSE LANDING GEAR STEERING DAMPENER							Component ATA:32
PN:45100-41	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:030205021CT	HRS	0		TSN 0				
WC#: 32.620	AFL	0		TSN 0				
PROC. REF: AMM 32-50-07PROC. REF: AMM 32-50-07								
32NDT1	NDT INSPECT NOSE LANDING GEAR WHEEL							Service ATA:32
PN:390-820100-0001	MOS/MSC	23-Apr-17	A/R					
SN:0208	HRS	2092.8						
WC#: 32.580	AFL	1801						
PROC. REF: GENERIC NO REF, CMM 32-47-25PROC. REF: GENERIC NO REF, CMM 32-47-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32NDT2	NDT INSPECT LEFT MAIN LANDING GEAR WHEEL ASSY							Service ATA:32
PN:3-1576	MOS/MSC	29-Dec-25	A/R					
SN:0487	HRS	2812.7						
WC#: 32.590	AFL	2395						
PROC. REF: GENERIC NO REF, CMM 32-45-27PROC. REF: GENERIC NO REF, CMM 32-45-27								
32NDT3	NDT INSPECT RIGHT MAIN LANDING GEAR WHEEL ASSY							Service ATA:32
PN:3-1576	MOS/MSC		A/R					
SN:0494	HRS							
WC#: 32.600	AFL							
PROC. REF: GENERIC NO REF, CMM 32-45-27PROC. REF: GENERIC NO REF, CMM 32-45-27								
700A03 ^S	INSPECT NOSE LANDING GEAR STRUT ASSEMBLY							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.110	AFL	2036						
PROC. REF: AMM 32-20-00, AMM 12-10-25PROC. REF: AMM 32-20-00, AMM 12-10-25								
700A04 ^S	INSPECT NOSE LANDING GEAR DRAG STRUT ASSEMBLY							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.140	AFL	2036						
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
700A05 ^S	INSPECT NOSE LANDING GEAR SHIMMY DAMPER							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.150	AFL	2036						
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700A06 ^S	INSPECT NOSE LANDING GEAR UPLOCK RELEASE ACTUATOR ALTERNATE EXTENSION CABLE							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.170	AFL	2036						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00							PKG:6	
700A07 ^S	INSPECT NOSE LANDING GEAR UPLOCK ASSEMBLY							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.180	AFL	2036						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00							PKG:6	
700A10 ^S	INSPECT NOSE WHEEL STEERING SYSTEM							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.350	AFL	2036						
PROC. REF: AMM 32-50-00PROC. REF: AMM 32-50-00							PKG:6	
700A12 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.160	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:6	
700A13	VISUAL AND NDI (MAGNETIC PARTICLE) OF NOSE LANDING GEAR STRUCTURE							Service ATA:32
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	6000 (+200)		6000	6200	3165 (+200)	
WC#: 32.130	AFL	0	5000		5000		2588	
PROC. REF: CMM 32-20-01, AMM 20-26-00PROC. REF: CMM 32-20-01, AMM 20-26-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700A14 ^S	INSPECT NOSE LANDING GEAR WHEEL WELL							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
700A15 ^S	INSPECT NOSE LANDING GEAR UPPER DRAG BRACE							Service ATA:32
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
	AFL	2018						
PROC. REF: CMM 32-25-01PROC. REF: CMM 32-25-01								PKG:7
700B05 ^S	INSPECT LEFT MAIN LANDING GEAR STRUT ASSEMBLY							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.030	AFL	2036						
PROC. REF: AMM 12-10-25PROC. REF: AMM 12-10-25								PKG:6
700B06 ^S	INSPECT LEFT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.370	AFL	2036						
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00								PKG:6
700B07 ^S	INSPECT LEFT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.190	AFL	2036						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700B17 ^S	INSPECT LEFT LANDING GEAR SQUAT SWITCH							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.390	AFL	2036						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								PKG:6
700B18 ^S	INSPECT LEFT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
	AFL	2036						
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00								PKG:6
700B21	VISUAL AND NDI(MAGNETIC PARTICLE) LEFT MAIN LANDING GEAR ASSEMBLY							Service ATA:32
PN:390-810001-0007	MOS	25-Oct-05						AIRWORTHINESS
SN:02170501ICT	HRS	0	6000 (+200)		6000	6200	3165 (+200)	
WC#: 32.070	AFL	0	5000		5000		2588	
PROC. REF: CMM 32-10-01, AMM 20-26-00PROC. REF: CMM 32-10-01, AMM 20-26-00								
700B22 ^S	INSPECT LEFT LANDING GEAR WHEEL WELL							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
700C05 ^S	INSPECT RIGHT MAIN LANDING GEAR STRUT ASSEMBLY							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.030	AFL	2036						
PROC. REF: AMM 12-10-25PROC. REF: AMM 12-10-25								PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700C06 ^S	INSPECT RIGHT MAIN WHEEL WELL AND GEAR WIRING HARNESSSES							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.370	AFL	2036						
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00								PKG:6
700C07 ^S	INSPECT RIGHT MAIN LANDING GEAR LANDING GEAR ALTERNATE EXTENSION SYSTEM							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.190	AFL	2036						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								PKG:6
700C17 ^S	INSPECT RIGHT LANDING GEAR SQUAT SWITCH							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.390	AFL	2036						
PROC. REF: AMM 32-00-00PROC. REF: AMM 32-00-00								PKG:6
700C18 ^S	INSPECT RIGHT MAIN LANDING GEAR AND INBOARD DOOR UPLOCK HOOKS AND ASSEMBLIES							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 32.380	AFL	2036						
PROC. REF: AMM 32-60-00PROC. REF: AMM 32-60-00								PKG:6
700C20	VISUAL AND NDI(MAGNETIC PARTICLE) RIGHT MAIN LANDING GEAR ASSEMBLY							Service ATA:32
PN:390-810001-0008	MOS	25-Oct-05						AIRWORTHINESS
SN:02220501ICT	HRS	0	6000 (+200)		6000	6200	3165 (+200)	
WC#: 32.070	AFL	0	5000		5000		2588	
PROC. REF: CMM 32-10-01, AMM 20-26-00PROC. REF: CMM 32-10-01, AMM 20-26-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
700C21 ^S	INSPECT RIGHT LANDING GEAR WHEEL WELL							Service ATA:32
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
OPS32 ^S FUNCTIONAL TEST LANDING GEAR ALTERNATE EXTENSION SYSTEM								
	MOS	06-Aug-20						Service ATA:32
	HRS	2382	600 (+20)					
WC#: 32.230	AFL	2036						
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								PKG:6
OPS33 PERFORM TEST OF EMERGENCY BRAKE SYSTEM								
	MOS	21-Jan-25						Service ATA:32
	HRS	2753.1	400 (+20)		3153.1	3173.1	318.1 (+20)	
WC#: 32.310	AFL	2339						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
OPS34 TEST ANTI-SKID BRAKE								
	MOS	21-Jan-25						Service ATA:32
	HRS	2753.1	400 (+20/-20)		3153.1	3173.1	318.1 (+20)	AIRWORTHINESS
WC#: 32.330	AFL	2339						
PROC. REF: AMM 32-40-00PROC. REF: AMM 32-40-00								
SPC09 INSPECTION LEFT MAIN LANDING GEAR BRAKE								
	MOS/MSC	02-Aug-07	A/R					Service ATA:32
	HRS	398						
WC#: 32.640	AFL	235						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC09 INSPECTION RIGHT MAIN LANDING GEAR BRAKE								
	MOS/MSC	02-Aug-07	A/R					Service ATA:32
	HRS	398						
WC#: 32.640	AFL	235						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 33 - LIGHTS								
331001		NO. 1 INCANDESCENT DIMMER					Component	ATA:33
PN:DC7-394	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0337	HRS	0	TSN 0					
WC#: 33.090	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331002		NO. 2 INCANDESCENT DIMMER					Component	ATA:33
PN:DC7-394	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0276	HRS	0	TSN 0					
WC#: 33.090	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
331015		AFT ANTI-COLLISION LIGHT					Component	ATA:33
PN:390-384022-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:122	HRS	0	TSN 0					
WC#: 33.020	AFL	0	TSN 0					
PROC. REF: AMM 33-40-03PROC. REF: AMM 33-40-03								
331016		LEFT ANTI-COLLISION (STROBE) LIGHT					Component	ATA:33
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 33.030	AFL	0	TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-03PROC. REF: AMM 33-40-01, AMM 33-40-03								
331017		RIGHT ANTI-COLLISION (STROBE) LIGHT					Component	ATA:33
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 33.040	AFL	0	TSN 0					
PROC. REF: AMM 33-40-01, AMM 33-40-03PROC. REF: AMM 33-40-01, AMM 33-40-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334001	AFT STROBE POWER SUPPLY							Component ATA:33
PN:390-384014-0001	MOS/MSC	27-Jan-26	O/C					
SN:1079M1	HRS	2812.7						
	AFL	2395						
PROC. REF: AMM 33-40-04PROC. REF: AMM 33-40-04								
334001	LEFT WING STROBE POWER SUPPLY							Component ATA:33
PN:390-384014-0001	MOS/MSC	21-Sep-23	O/C					
SN:974M1	HRS	2666.5						
WC#: 33.100	AFL	2259						
PROC. REF: AMM 33-40-02PROC. REF: AMM 33-40-02								
334001	RIGHT WING STROBE POWER SUPPLY							Component ATA:33
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-02PROC. REF: AMM 33-40-02								
334003	LIGHTING SWITCH CONTROLLER							Component ATA:33
PN:76771-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1026	HRS	0		TSN 0				
WC#: 33.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
334101	LEFT PARMETHEUS G3 PAR 46 LED LANDING LIGHT							Component ATA:33
PN:01-0790906-00	MOS/MSC	21-Oct-24	O/C	TSN 0				
SN:02623	HRS	2743		TSN 0				
WC#: 33.130	AFL	2331		TSN 0				
PROC. REF: AMM 33-40-05PROC. REF: AMM 33-40-05								
334102	RIGHT PARMETHEUS G3 PAR 46 LED LANDING LIGHT							Component ATA:33
PN:01-0790906-00	MOS/MSC	21-Oct-24	O/C	TSN 0				
SN:02691	HRS	2743		TSN 0				
WC#: 33.130	AFL	2331		TSN 0				
PROC. REF: AMM 33-40-05PROC. REF: AMM 33-40-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335010	EMERGENCY EXIT (SELF-ILLUMINATING) SIGN							Component ATA:33
PN:CAN/AC/7K	MOS/MSC	06-Feb-23	O/C	TSN 0				
SN:49989	HRS	2617.8		TSN 0				
WC#: 33.080	AFL	2220		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335015	FORWARD PARTITION (SELF-ILLUMINATING) SIGN							Component ATA:33
PN:132848-15	MOS/MSC	06-Feb-23	O/C	TSN 0				
SN:50784	HRS	2617.8		TSN 0				
WC#: 33.120	AFL	2220		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
LIMITS04	INSPECT EMERGENCY EXIT SIGN (SELF-ILLUMINATING)							Service ATA:33
	MOS	06-Feb-23	T:60		06-Feb-28		611 d	MANDATORY
	HRS	2617.8						
WC#: 33.080	AFL	2220						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
LIMITS04	INSPECT FORWARD PARTITION (SELF-ILLUMINATING ON AFT SIDE)							Service ATA:33
	MOS	06-Feb-23	T:60		06-Feb-28		611 d	MANDATORY
	HRS	2617.8						
WC#: 33.120	AFL	2220						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
OPS42 ^S	FUNCTIONAL TEST AFT ANTI-COLLISION LIGHT							Service ATA:33
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 33.020	AFL	2018						
PROC. REF: CMM 33-40-03, AMM 33-40-00PROC. REF: CMM 33-40-03, AMM 33-40-00								
OPS43 ^S	FUNCTIONAL TEST LEFT ANTI-COLLISION LIGHT							Service ATA:33
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 33.030	AFL	2018						
PKG:7								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: CMM 33-40-05, AMM 33-40-00PROC. REF: CMM 33-40-05, AMM 33-40-00								
OPS44 ^S	FUNCTIONAL TEST RIGHT ANTI-COLLISION LIGHT							Service ATA:33
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 33.040	AFL	2018						
PROC. REF: CMM 33-40-05, AMM 33-40-00PROC. REF: CMM 33-40-05, AMM 33-40-00								
ATA 34 - NAVIGATION								
100C04 ^S	INSPECT PITOT AND STATIC LINES AND CONNECTIONS - LEFT BAGGAGE COMPARTMENT							Service ATA:34
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 34.020	AFL	2036						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
100D01 ^S	INSPECT PITOT AND STATIC LINE CONNECTIONS - RIGHT AVIONICS COMPARTMENT							Service ATA:34
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 34.030	AFL	2036						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
100E10	INSPECT RVSM CONTOUR							Service ATA:34
	MOS	29-Dec-25	24 (+30d/-30d)		29-Dec-27	28-Jan-28	572 d (+30)	
	HRS	2812.7						
WC#: 34.500	AFL	2395						
PROC. REF: AMM 34-10-10PROC. REF: AMM 34-10-10								
340001	UPPER COAXIAL SWITCH							Component ATA:34
PN:402-167	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:12924	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340002		LOWER COAXIAL SWITCH					Component	ATA:34
PN:402-167	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:12922	HRS	0	TSN 0					
WC#: 34.070	AFL	0	TSN 0					
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01								
340011		STANDBY COMPASS					Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 34.080	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340021		MAGNETIC COMPASS					Component	ATA:34
PN:133-380035-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU0240305	HRS	0	TSN 0					
WC#: 34.090	AFL	0	TSN 0					
PROC. REF: AMM 34-22-01PROC. REF: AMM 34-22-01								
341001		NO. 1 AIR DATA COMPUTER					Component	ATA:34
PN:822-1109-016	MOS/MSC	22-Jun-11	O/C	TSR 0				
SN:3969J	HRS	1171.8	TSR 0					
WC#: 34.050	AFL	993	TSR 0					
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
341002		NO. 2 AIR DATA COMPUTER					Component	ATA:34
PN:822-1109-016	MOS/MSC	01-Jun-18	O/C	TSO 7				
SN:2FLJP	HRS	2221.3	TSO 0					
WC#: 34.050	AFL	1908	TSO 0					
PROC. REF: AMM 34-11-01PROC. REF: AMM 34-11-01								
341020		COPILOT ALTIMETER					Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 34.060	AFL	0	TSN 0					
PROC. REF: AMM 34-12-03PROC. REF: AMM 34-12-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341025	STANDBY ALTIMETER							Component ATA:34
PN:390-382042-0001	MOS/MSC	12-Feb-24	O/C	TSO 0				
SN:168872	HRS	2706		TSO 0				
WC#: 34.100	AFL	2295		TSO 0				
PROC. REF: AMM 34-12-06PROC. REF: AMM 34-12-06								
341031	NO. 1 EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1WFLJ	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
341032	NO. 2 EXTERNAL COMPENSATION UNIT							Component ATA:34
PN:822-1200-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1WJ6K	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
341041	NO. 1 AHC 3000 AHRS UNIT							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
341042	NO. 2 AHC 3000 AHRS UNIT							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								
341047	ALT-4000 TRANSMITTER							Component ATA:34
PN:822-0615-002	MOS/MSC	08-Feb-07	O/C					
SN:1YCKY	HRS	358						
WC#: 34.130	AFL	205						
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341051	NO. 1 ADAPTIVE FLIGHT DISPLAY							Component ATA:34
PN:822-1084-017	MOS/MSC	30-Sep-17	O/C	TSR 79				
SN:34NDG	HRS	2144.6		TSR 1029				
WC#: 34.140	AFL	1837		TSR 890				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01								
341052	NO. 2 ADAPTIVE FLIGHT DISPLAY							Component ATA:34
PN:822-1084-017	MOS/MSC	30-Sep-17	O/C					
SN:21VDP	HRS	2144.6						
WC#: 34.140	AFL	1837						
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01								
341061	ADAPTIVE FLIGHT DISPLAY CENTER							Component ATA:34
PN:822-1753-017	MOS/MSC	30-Sep-17	O/C	TSN 143, TSO 143				
SN:1WL6J	HRS	2144.6		TSN 2144.6				
WC#: 34.140	AFL	1837		TSN 1837				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01								
341071	NO. 1 CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0884-416	MOS/MSC	30-Apr-08	O/C					
SN:1BVCG	HRS	538.6						
WC#: 34.150	AFL	343						
PROC. REF: AMM 34-61-01PROC. REF: AMM 34-61-01								
341072	NO. 2 CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0884-416	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1YRWV	HRS	0		TSN 0				
WC#: 34.150	AFL	0		TSN 0				
PROC. REF: AMM 34-61-01PROC. REF: AMM 34-61-01								
341081	WEATHER RADAR (RTA-800) ANTENNA							Component ATA:34
PN:822-1050-004	MOS/MSC	28-Mar-12	O/C	TSO 0				
SN:1BYJM	HRS	1364.6		TSO 0				
WC#: 34.160	AFL	1177		TSO 0				
PROC. REF: AMM 34-41-01PROC. REF: AMM 34-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341091	AIRSPEED INDICATOR							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.170	AFL	0		TSN 0				
PROC. REF: AMM 34-12-01PROC. REF: AMM 34-12-01								
341093	MMT-3010 MOUNT							Component ATA:34
PN:822-1290-003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1W2RB	HRS	0		TSN 0				
WC#: 34.510	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341101	NO. 1 PITOT VALVE							Component ATA:34
PN:122-380046-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0305	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341102	NO. 2 PITOT VALVE							Component ATA:34
PN:122-380046-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0390	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341111	OAT PROBE							Component ATA:34
PN:122-384003-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:A59012	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: AMM 34-13-01PROC. REF: AMM 34-13-01								
341121	NO. 1 PITOT STATIC PROBE							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: AMM 34-12-07PROC. REF: AMM 34-12-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341122	NO. 2 PITOT STATIC PROBE							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: AMM 34-12-07PROC. REF: AMM 34-12-07								
341201	NO. 1 NAV ANTENNA							Component ATA:34
PN:22-37-103	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:03899	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01PROC. REF: GENERIC NO REF, AMM 34-31-01								
341202	NO. 2 NAV ANTENNA							Component ATA:34
PN:22-37-103	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:03898	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF, AMM 34-31-01PROC. REF: GENERIC NO REF, AMM 34-31-01								
341211	PHASING COUPLER							Component ATA:34
PN:80-37-101	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:4886	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
341221	STANDBY AIRSPEED INDICATOR							Component ATA:34
PN:390-382039-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:280361	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 34-12-05PROC. REF: AMM 34-12-05								
342011	UPPER FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	08-Feb-07	O/C					
SN:28408	HRS	358						
WC#: 34.240	AFL	205						
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342012		LOWER FLUX DETECTOR						Component	ATA:34
PN:822-1193-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:31763	HRS	0	TSN 0						
WC#: 34.240	AFL	0	TSN 0						
PROC. REF: AMM 34-21-01PROC. REF: AMM 34-21-01									
342031		ATTITUDE INDICATOR						Component	ATA:34
PN:390-382065-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:2043	HRS	0	TSN 0						
WC#: 34.250	AFL	0	TSN 0						
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01									
342041		VERTICAL SPEED INDICATOR						Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 34.260	AFL	0	TSN 0						
PROC. REF: AMM 34-12-02PROC. REF: AMM 34-12-02									
343001		NO. 1 COUPLER						Component	ATA:34
PN:DMH24-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:15146	HRS	0	TSN 0						
WC#: 34.270	AFL	0	TSN 0						
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
343002		NO. 2 COUPLER						Component	ATA:34
PN:DMH21-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:25439	HRS	0	TSN 0						
WC#: 34.270	AFL	0	TSN 0						
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									
343003		NO. 3 COUPLER						Component	ATA:34
PN:DMH21-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:25258	HRS	0	TSN 0						
WC#: 34.270	AFL	0	TSN 0						
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343021		MARKER BEACON ANTENNA						Component ATA:34
PN:DM N27-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:15001	HRS	0		TSN 0				
WC#: 34.280	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
343031		GLIDESLOPE ANTENNA						Component ATA:34
PN:100-384128	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6292	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
343041		NO. 1 VIR-432 NAV RECEIVER						Component ATA:34
PN:822-1465-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1XPMW	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
343042		NO. 2 VIR-432 NAV RECEIVER						Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: AMM 34-31-01PROC. REF: AMM 34-31-01								
344001		UPPER TCAS ANTENNA						Component ATA:34
PN:622-8973-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1R5LX	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344002		LOWER TCAS ANTENNA						Component ATA:34
PN:622-8973-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1WMYM	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344011		UPPER TRANSPONDER ANTENNA						Component ATA:34
PN:DM N150-10-2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:17288	HRS	0	TSN 0					
WC#: 34.320	AFL	0	TSN 0					
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344012		LOWER TRANSPONDER ANTENNA						Component ATA:34
PN:DM N150-10-2	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:17139	HRS	0	TSN 0					
WC#: 34.320	AFL	0	TSN 0					
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344021		TCAS TRANSMITTER						Component ATA:34
PN:822-1294-002	MOS/MSC	24-Dec-09	O/C	TSO 0				
SN:161267	HRS	876.1	TSO 0					
WC#: 34.330	AFL	683	TSO 0					
PROC. REF: AMM 34-44-01PROC. REF: AMM 34-44-01								
344031		TCAS COAX KIT						Component ATA:34
PN:999ML-500-102	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:E28697	HRS	0	TSN 0					
WC#: 34.340	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344301		RADIO ALTIMETER RECEIVER ANTENNA						Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 34.350	AFL	0	TSN 0					
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01								
344302		RADIO ALTIMETER TRANSMITTER ANTENNA						Component ATA:34
PN:DM PN19-2-1	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:2642	HRS	0	TSN 0					
WC#: 34.350	AFL	0	TSN 0					
PROC. REF: AMM 34-43-01PROC. REF: AMM 34-43-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345001	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	30-Sep-17	O/C					
SN:1YKRY	HRS	2144.6						
WC#: 34.040	AFL	1837						
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01								
345002	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	30-Sep-17	O/C					
SN:1YKRW	HRS	2144.6						
WC#: 34.040	AFL	1837						
PROC. REF: AMM 34-54-01PROC. REF: AMM 34-54-01								
345011	SINGLE ADF ANTENNA							Component ATA:34
PN:622-7383-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1L5BF	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01								
345012	DUAL ADF ANTENNA							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01								
345021	NO. 1 DME ANTENNA							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
345022	NO. 2 DME ANTENNA							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345031		NO. 1 DME					Component	ATA:34
PN:822-1466-001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1WDLY	HRS	0	TSN 0					
WC#: 34.390	AFL	0	TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
345032		NO. 2 DME					Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 34.390	AFL	0	TSN 0					
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
345041		NO. 1 GPS ANTENNA					Component	ATA:34
PN:CI429-410	MOS/MSC	30-Sep-17	O/C	TSN 0				
SN:510893	HRS	2144.6	TSN 0					
WC#: 34.400	AFL	1837	TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
345042		NO. 2 GPS ANTENNA					Component	ATA:34
PN:CI401-420	MOS/MSC	30-Sep-17	O/C	TSO 0, TSR 0				
SN:106619	HRS	2144.6						
WC#: 34.400	AFL	1837						
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
345051		NO. 1 GLOBAL POSITIONING SYSTEM					Component	ATA:34
PN:822-2189-010	MOS/MSC	30-Sep-17	O/C	TSO 0				
SN:2LMRL	HRS	2144.6	TSO 0					
WC#: 34.410	AFL	1837	TSO 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
345052		NO. 2 GLOBAL POSITIONING SYSTEM					Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 34.410	AFL	0	TSN 0					
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345061	SINGLE ADF-462 TRANSCEIVER							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01								
345062	DUAL ADF-462 TRANSCEIVER							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: AMM 34-52-01PROC. REF: AMM 34-52-01								
346001	NO. 1 DCP-3000 DISPLAY CONTROL PANEL							Component ATA:34
PN:822-1828-112	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1MMVX	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: AMM 34-25-00PROC. REF: AMM 34-25-00								
346002	NO. 2 DCP-3000 DISPLAY CONTROL PANEL							Component ATA:34
PN:822-1828-112	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1MMVY	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01								
346011	NO. 1 FLIGHT GUIDANCE COMPUTER							Component ATA:34
PN:822-1108-317	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1WG5Y	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								
346012	NO. 2 FLIGHT GUIDANCE COMPUTER							Component ATA:34
PN:822-1108-317	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:1WG6B	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346021	NO. 1 CONFIGURATION STRAPPING UNIT							Component	ATA:34
PN:822-1363-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:1XTRY	HRS	0	TSN 0						
WC#: 34.440	AFL	0	TSN 0						
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346022	NO. 2 CONFIGURATION STRAPPING UNIT							Component	ATA:34
PN:822-1363-002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:1XTTC	HRS	0	TSN 0						
WC#: 34.440	AFL	0	TSN 0						
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346031	NO. 1 FLIGHT MANAGEMENT COMPUTER							Component	ATA:34
PN:822-0883-040	MOS/MSC	30-Sep-17	O/C	TSO 99					
SN:288HM	HRS	2144.6	TSO 1408.3						
WC#: 34.450	AFL	1837	TSO 1289						
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346032	NO. 2 FLIGHT MANAGEMENT COMPUTER							Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 34.450	AFL	0	TSN 0						
PROC. REF: AMM 31-40-01PROC. REF: AMM 31-40-01									
346041	SDD-640C SENSOR DISPLAY DRIVE							Component	ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 34.460	AFL	0	TSN 0						
PROC. REF: AMM 34-25-01PROC. REF: AMM 34-25-01									
346061	ENHANCED GROUND PROXIMITY WARNING UNIT							Component	ATA:34
PN:965-0976-040-210-*	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:21354	HRS	0	TSN 0						
WC#: 34.470	AFL	0	TSN 0						
PROC. REF: AMM 34-45-01PROC. REF: AMM 34-45-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346071	429 COMPUTER							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.480	AFL	0		TSN 0				
PROC. REF: AMM 23-30-05PROC. REF: AMM 23-30-05								
346081	DATA BASE UNIT							Component ATA:34
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: AMM 34-61-01PROC. REF: AMM 34-61-01								
OPS38	OPERATIONAL TEST REVERSION SWITCHES							Service ATA:34
	MOS	21-Jan-25						AIRWORTHINESS
	HRS	2753.1	200 (+20/-20)		2953.1	2973.1	118.1 (+20)	
WC#: 34.010	AFL	2339						
PROC. REF: AMM 34-00-01PROC. REF: AMM 34-00-01								
SPC03 ^S	RECERTIFY COPILOT ALTIMETER							Service ATA:34
PN:PN	MOS		24					MANDATORY
SN:UNKNOWN	HRS							
WC#: 34.060	AFL							
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
SPC03	RECERTIFY STANDBY ALTIMETER							Service ATA:34
PN:390-382042-0001	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
SN:168872	HRS	2812.7						
WC#: 34.100	AFL	2395						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
SPC05	RECERTIFY NO. 1 AIR DATA COMPUTER							Service ATA:34
PN:822-1109-016	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
SN:3969J	HRS	2812.7						
WC#: 34.050	AFL	2395						
PROC. REF: AMM 34-11-02PROC. REF: AMM 34-11-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
SPC05		RECERTIFY NO. 2 AIR DATA COMPUTER						Service ATA:34
PN:822-1109-016	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
SN:2FLJP	HRS	2812.7						
WC#: 34.050	AFL	2395						
PROC. REF: AMM 34-11-02PROC. REF: AMM 34-11-02								
SPC11		RECERTIFY NO. 1 ATC TRANSPONDER						Service ATA:34
PN:622-9210-501	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
SN:1YKRY	HRS	2812.7						
WC#: 34.040	AFL	2395						
PROC. REF: AMM 34-54-00PROC. REF: AMM 34-54-00								
SPC11		RECERTIFY NO. 2 ATC TRANSPONDER						Service ATA:34
PN:622-9210-501	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
SN:1YKRW	HRS	2812.7						
WC#: 34.040	AFL	2395						
PROC. REF: AMM 34-54-00PROC. REF: AMM 34-54-00								
SPC12		RECERTIFY NO. 1 PITOT STATIC SYSTEM						Service ATA:34
	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
	HRS	2812.7						
WC#: 34.520	AFL	2395						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
SPC12		RECERTIFY NO. 2 PITOT STATIC SYSTEM						Service ATA:34
	MOS	29-Dec-25	24		29-Dec-27		572 d	MANDATORY
	HRS	2812.7						
WC#: 34.520	AFL	2395						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
SPC16		DRAIN LEFT PITOT/STATIC SYSTEM						Service ATA:34
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 34.020	AFL	2339						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
SPC16		DRAIN RIGHT PITOT/STATIC SYSTEM						Service ATA:34
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 34.030	AFL	2339						
PROC. REF: AMM 34-12-00PROC. REF: AMM 34-12-00								
ATA 35 - OXYGEN								
100C02 ^S		INSPECT OXYGEN SYSTEM						Service ATA:35
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 35.010	AFL	2036						
PROC. REF: AMM 12-10-30PROC. REF: AMM 12-10-30								
200A12 ^S		INSPECT FLIGHT CREW OXYGEN SYSTEM						Service ATA:35
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 35.020	AFL	2036						
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
200B07 ^S		INSPECT OXYGEN MASK AND HOSES						Service ATA:35
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 35.050	AFL	2036						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
350001		OXYGEN PRESSURE TRANSDUCER						Component ATA:35
PN:122-382008-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6895-5-209	HRS	0		TSN 0				
WC#: 35.060	AFL	0		TSN 0				
PROC. REF: AMM 35-10-08PROC. REF: AMM 35-10-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
350011		OXYGEN SHUTOFF VALVE						Component	ATA:35
PN:101-384032-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:3833B	HRS	0		TSN 0					
WC#: 35.070	AFL	0		TSN 0					
PROC. REF: AMM 35-10-05PROC. REF: AMM 35-10-05									
350101		OXYGEN BOTTLE						Component	ATA:35
PN:101-384207-13	MOS	09-Sep-24	180	TSN 60, TSO 0	09-Sep-34		3018 d	LIFE LIMIT	
SN:1077531601	HRS	2729.6							
WC#: 35.010	AFL	2316							
PROC. REF: AMM 35-10-04PROC. REF: AMM 35-10-04									
351011		NO. 1 CREW STATION OXYGEN BOX						Component	ATA:35
PN:390-382044-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:00146	HRS	0		TSN 0					
WC#: 35.090	AFL	0		TSN 0					
PROC. REF: AMM 35-10-10PROC. REF: AMM 35-10-10									
351012		NO. 2 CREW STATION OXYGEN BOX						Component	ATA:35
PN:390-382044-0002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:00161	HRS	0		TSN 0					
WC#: 35.090	AFL	0		TSN 0					
PROC. REF: AMM 35-10-10PROC. REF: AMM 35-10-10									
351021		OVERBOARD DISCHARGE INDICATOR						Component	ATA:35
PN:171-502	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:0179	HRS	0		TSN 0					
WC#: 35.100	AFL	0		TSN 0					
PROC. REF: AMM 35-10-06PROC. REF: AMM 35-10-06									
351031		OXYGEN PRESSURE GAUGE						Component	ATA:35
PN:99-384042-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:02831	HRS	0		TSN 0					
WC#: 35.110	AFL	0		TSN 0					
PROC. REF: AMM 35-10-02PROC. REF: AMM 35-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
351035	OXYGEN PRESSURE INDICATOR							Component ATA:35
PN:390-382010-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:03K247	HRS	0		TSN 0				
WC#: 35.120	AFL	0		TSN 0				
PROC. REF: AMM 35-10-07PROC. REF: AMM 35-10-07								
352020	CABIN OXYGEN CONTROL SOLENOID VALVE							Component ATA:35
PN:101-384032-7	MOS/MSC		O/C	TSN 0, TSO 0				
SN:3833B	HRS			TSN 0				
WC#: 35.030	AFL			TSN 0				
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02								
LIMITS12	HYDROSTATIC TEST OXYGEN BOTTLE KEVLAR FIBER BOTTLE P/N 101-384200-11 (40 CUBIC-FEET)							Service ATA:35
	MOS/MSC	25-Oct-05	N/A					MANDATORY
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
LIMITS13	HYDROSTATIC TEST OXYGEN BOTTLE KEVLAR FIBER BOTTLE P/N 101-384207-13 (77 CUBIC-FEET)							Service ATA:35
PN:101-384207-13	MOS	09-Sep-24	60	03-Sep-29		1186 d		MANDATORY
SN:1077531601	HRS	2729.6						
WC#: 35.010	AFL	2316						
HydroCheck Date: : 03-Sep-24								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
LIMITS14	HYDROSTATIC TEST OXYGEN BOTTLE CARBON FIBER BOTTLE P/N 101-384207-23 (77 CUBIC-FEET)							Service ATA:35
	MOS/MSC	25-Oct-05	N/A					MANDATORY
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
OPS39 ^S	FUNCTIONAL TEST OXYGEN SYSTEM							Service ATA:35
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 35.010	AFL	2036						
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
SPC14 #1 PASSENGER OXYGEN MASK								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	Component ATA:35 OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.130	AFL	2058						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #2 PASSENGER OXYGEN MASK								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	Component ATA:35 OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.130	AFL	2058						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #3 PASSENGER OXYGEN MASK								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	Component ATA:35 OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.140	AFL	2058						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #4 PASSENGER OXYGEN MASK								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	Component ATA:35 OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.140	AFL	2058						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #5 PASSENGER OXYGEN MASK								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	Component ATA:35 OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.150	AFL	2058						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 #6 PASSENGER OXYGEN MASK								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	Component ATA:35 OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.150	AFL	2058						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC14 LAVATORY PASSENGER OXYGEN MASK								
Component ATA:35								
PN:174095-58	MOS	01-Oct-21	96	TSN 0	01-Oct-29		1214 d	OVERHAUL
SN:N/A	HRS	2415.8						
WC#: 35.160	AFL	2058						
PROC. REF: AMM 35-20-01PROC. REF: AMM 35-20-01								
SPC26 NO. 1 CREW OXYGEN MASK OVERHAUL								
Component ATA:35								
PN:390-382045-0001	MOS	06-Aug-20	72 (+30d/-30d)	TSO 0	06-Aug-26	05-Sep-26	62 d (+30)	OVERHAUL
SN:19715	HRS	2382						
WC#: 35.080	AFL	2036						
PROC. REF: CMM 35-10-01, AMM 35-10-01PROC. REF: CMM 35-10-01, AMM 35-10-01								
SPC26 NO. 2 CREW OXYGEN MASK OVERHAUL								
Component ATA:35								
PN:390-382045-0001	MOS	06-Aug-20	72 (+30d/-30d)	TSO 0	06-Aug-26	05-Sep-26	62 d (+30)	OVERHAUL
SN:07518	HRS	2382						
WC#: 35.080	AFL	2036						
PROC. REF: CMM 35-10-01, AMM 35-10-01PROC. REF: CMM 35-10-01, AMM 35-10-01								
TBO06 OXYGEN REGULATOR								
Component ATA:35								
PN:172400-14	MOS	09-Sep-24	60	TSO 0	09-Sep-29		1192 d	OVERHAUL
SN:1074864001	HRS	2729.6		TSO 0				
WC#: 35.010	AFL	2316		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
TBO07 REPLACE CABIN OXYGEN CONTROL SOLENOID VALVE O-RINGS								
Service ATA:35								
	MOS	29-Dec-25	48		29-Dec-29		1303 d	
	HRS	2812.7						
WC#: 35.040	AFL	2395						
PROC. REF: AMM 35-20-02PROC. REF: AMM 35-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361001	PNEUMATIC PRESSURE REGULATOR							Component ATA:36
PN:390-385001-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:0110	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: AMM 36-10-01PROC. REF: AMM 36-10-01								
SPC19	DRAIN MOISTURE FROM PNEUMATIC DRAIN LINE							Service ATA:36
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 36.020	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 38 - WATER/WASTE								
200A06 ^S	INSPECT RELIEF TUBE							Service ATA:38
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS								
391001	NO. 1 FLIGHT GUIDANCE PANEL							Component ATA:39
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 39.010	AFL	0		TSN 0				
PROC. REF: AMM 22-10-02PROC. REF: AMM 22-10-02								
391002	NO. 2 FLIGHT GUIDANCE PANEL							Component ATA:39
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 39.010	AFL	0		TSN 0				
PROC. REF: AMM 22-10-02PROC. REF: AMM 22-10-02								
ATA 52 - DOORS								
200C01	VISUAL/A-SCAN CHECK PASSENGER DOOR							Service ATA:52
PN:PN	MOS	19-Sep-19						AIRWORTHINESS

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
SN:UNKNOWN	HRS	2364.8	1200 (+20/-20)		3564.8	3584.8	729.8 (+20)	
WC#: 52.010	AFL	2018						
PROC. REF: AMM 20-26-00, AMM 52-10-01PROC. REF: AMM 20-26-00, AMM 52-10-01								
200C03	VISUAL CHECK EMERGENCY EXIT HATCH							Service ATA:52
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	6000 (+200)		6000	6200	3165 (+200)	
WC#: 52.040	AFL	0						
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								
200C06 ^S	VISUAL CHECK PASSENGER DOOR AND STEPS							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.010	AFL	2036						
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
200C07 ^S	INSPECT PASSENGER DOOR LATCH MECHANISM							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.010	AFL	2036						
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
200C08 ^S	INSPECT PASSENGER DOOR							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.010	AFL	2018						
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
200C09 ^S	INSPECT FUSELAGE DOOR LAND							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.010	AFL	2036						
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
200C10 ^S	INSPECT EMERGENCY EXIT HATCH SEALS							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.040	AFL	2018						
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								PKG:7
200C11 ^S	INSPECT EMERGENCY EXIT HATCH DOOR FRAME AND WINDOW INSTALLATION							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.040	AFL	2018						
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								PKG:7
200C12 ^S	INSPECT EMERGENCY EXIT HATCH FUSELAGE OPENING PERIMETER							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.040	AFL	2018						
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								PKG:7
200C13 ^S	INSPECT EMERGENCY EXIT HATCH LATCHING MECHANISM							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.040	AFL	2018						
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								PKG:7
300A33 ^S	INSPECT AFT FUSELAGE BAGGAGE COMPARTMENT							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.050	AFL	2018						
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
521001	PASSENGER DOOR							Component	ATA:52
PN:390-430020-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:RB-137	HRS	0	TSN 0						
WC#: 52.010	AFL	0	TSN 0						
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01									
521002	PASSENGER DOOR SHELL ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
521011	CABIN DOOR KEY							Component	ATA:52
PN:390-384050-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:T4619-RB137	HRS	0	TSN 0						
WC#: 52.100	AFL	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
522001	EMERGENCY EXIT HATCH							Component	ATA:52
PN:390-430003-6005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:RB-137	HRS	0	TSN 0						
WC#: 52.040	AFL	0	TSN 0						
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01									
523001	AFT BAGGAGE & AVIONICS DOOR KEY							Component	ATA:52
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 52.110	AFL	0	TSN 0						
PROC. REF: AMM 52-30-03PROC. REF: AMM 52-30-03									
523011	RIGHT AFT AVIONICS DOOR KEY							Component	ATA:52
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 52.120	AFL	0	TSN 0						
PROC. REF: AMM 52-30-03PROC. REF: AMM 52-30-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
524001	FORWARD BAGGAGE & AVIONICS DOOR KEY							Component ATA:52
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.130	AFL	0		TSN 0				
PROC. REF: AMM 52-30-01PROC. REF: AMM 52-30-01								
800A02 ^S	INSPECT AFT BAGGAGE DOOR, LATCH, SWITCHES AND SEALS							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.150	AFL	2036						
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
800A03 ^S	INSPECT AFT AVIONICS DOOR, LATCH, SWITCHES AND SEALS							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.150	AFL	2036						
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
800A04 ^S	INSPECT AFT BAGGAGE DOOR LATCH PINS (4 LOCATIONS)							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.160	AFL	2036						
PROC. REF: AMM 52-30-05PROC. REF: AMM 52-30-05								
800A05 ^S	INSPECT AFT AVIONICS DOOR LATCH PINS (4 LOCATIONS)							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.160	AFL	2036						
PROC. REF: AMM 52-30-05PROC. REF: AMM 52-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
800A06 ^S	ADJUSTMENT/TEST FORWARD AND AFT BAGGAGE/AVIONICS DOORS							Service ATA:52
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 52.170	AFL	2036						
PROC. REF: AMM 52-70-00PROC. REF: AMM 52-70-00								PKG:6
800A07	EDDY CURRENT INSPECT AFT BAGGAGE AND AVIONICS DOOR LATCH PINS (4 EACH SIDE)							Service ATA:52
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	6000 (+200)		6000	6200	3165 (+200)	
WC#: 52.140	AFL	0						
PROC. REF: AMM 20-26-00, AMM 52-30-05PROC. REF: AMM 20-26-00, AMM 52-30-05								
OPS40 ^S	OPERATIONAL TEST PASSENGER DOOR WARNING SYSTEM							Service ATA:52
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 52.030	AFL	2018						
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								PKG:7
ATA 53 - FUSELAGE								
100B08 ^S	INSPECT MOISTURE DRAIN HOLES AND VALVES							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.010	AFL	2018						
PROC. REF: AMM 06-20-00PROC. REF: AMM 06-20-00								PKG:7
100B09 ^S	INSPECT WING SPIGOT FITTING INTERIOR REINFORCEMENTS							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.030	AFL	2018						
PROC. REF: AMM 57-10-02PROC. REF: AMM 57-10-02								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
100B10 ^S	INSPECT FORWARD AND AFT WING ATTACHMENT FITTINGS REINFORCEMENTS							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.040	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
100B11 ^S	INSPECT/LUBRICATE WING SPIGOT							Service ATA:53
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 53.330	AFL	2036						
PROC. REF: AMM 57-10-02, AMM 12-20-02PROC. REF: AMM 57-10-02, AMM 12-20-02								PKG:6
100C01	INSPECT LEFT BAGGAGE COMPARTMENT FORWARD PRESSURE BULKHEAD							Service ATA:53
	MOS	27-Jul-21	96 (+30d/-30d)		27-Jul-29	26-Aug-29	1148 d (+30)	AIRWORTHINESS
	HRS	2412.6	2400 (+200)		4812.6	5012.6	1977.6 (+200)	
WC#: 53.050	AFL	2054						
PROC. REF: AMM 53-10-01PROC. REF: AMM 53-10-01								
100C05 ^S	INSPECT LEFT BAGGAGE COMPARTMENT NOSE KEEL							Service ATA:53
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 53.200	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
100D03	INSPECT RIGHT AVIONICS COMPARTMENT FORWARD PRESSURE BULKHEAD							Service ATA:53
	MOS	27-Jul-21	96 (+30d/-30d)		27-Jul-29	26-Aug-29	1148 d (+30)	AIRWORTHINESS
	HRS	2412.6	2400 (+200)		4812.6	5012.6	1977.6 (+200)	
WC#: 53.060	AFL	2054						
PROC. REF: AMM 53-10-01PROC. REF: AMM 53-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
100D04 ^S	INSPECT RIGHT AVIONICS COMPARTMENT NOSE KEEL							Service ATA:53
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 53.210	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
100E02 ^S	INSPECT FUSELAGE SKIN - STRUCTURAL DAMAGE							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.070	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
100E04 ^S	INSPECT RADOME DETERIORATION (REMOVED)							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.240	AFL	2018						
PROC. REF: AMM 53-30-01, AMM 53-30-01PROC. REF: AMM 53-30-01, AMM 53-30-01								PKG:7
100E05 ^S	INSPECT RADOME ANTENNA (REMOVED)							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.240	AFL	2018						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01								PKG:7
200B01	VISUAL OF AFT PRESSURE BULKHEAD							Service ATA:53
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	1200 (+20/-20)		3564.8	3584.8	729.8 (+20)	
WC#: 53.100	AFL	2018						
PROC. REF: AMM 53-10-03PROC. REF: AMM 53-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
200B08 ^S	INSPECT FLOOR PANELS							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.230	AFL	2018						
PROC. REF: AMM 06-50-01PROC. REF: AMM 06-50-01								PKG:7
200C02 VISUAL CHECK OF FORWARD FUSELAGE SHELL AND FORWARD TO AFT SPLICE								
	MOS	19-Sep-19						Service ATA:53
	HRS	2364.8	1200 (+20/-20)		3564.8	3584.8	729.8 (+20)	AIRWORTHINESS
WC#: 53.080	AFL	2018						
PROC. REF: AMM 53-10-02PROC. REF: AMM 53-10-02								
200C15 ^S INSPECT FUSELAGE SKIN								
	MOS	19-Sep-19						Service ATA:53
	HRS	2364.8	1200 (+20)					
WC#: 53.110	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
200D10 ^S INSPECT FUSELAGE AND WING ATTACHMENT FITTINGS								
	MOS	06-Aug-20						Service ATA:53
	HRS	2382	600 (+20)					
WC#: 53.120	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6,7
300A07 VISUAL CHECK OF AFT FUSELAGE SHELL								
	MOS	19-Sep-19						Service ATA:53
	HRS	2364.8	1200 (+20/-20)		3564.8	3584.8	729.8 (+20)	AIRWORTHINESS
WC#: 53.130	AFL	2018						
PROC. REF: AMM 53-30-03PROC. REF: AMM 53-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
300A10	EDDY CURRENT INSPECT VERTICAL TAIL AFT SPAR (BOLT REMOVAL REQUIRED)							Service ATA:53
PN:PN	MOS	25-Oct-05						AIRWORTHINESS
SN:UNKNOWN	HRS	0	T:10000 (+200)		10000	10200	7165 (+200)	
WC#: 53.170	AFL	0						
PROC. REF: AMM 20-26-00, AMM 53-10-05PROC. REF: AMM 20-26-00, AMM 53-10-05								
300A37 ^S	INSPECT AFT FUSELAGE SKIN							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.020	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
300A38 ^S	INSPECT FORWARD ENGINE CARRY-THROUGH BEAM							Service ATA:53
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 53.180	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300A40 ^S	INSPECT MOISTURE DRAIN PATH							Service ATA:53
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 53.190	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
530001	PYLON ASSEMBLY							Component ATA:53
PN:390-440252-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6818512	HRS	0		TSN 0				
WC#: 53.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531001		FORWARD FUSELAGE ASSEMBLY						Component ATA:53
PN:390-444011-6009	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6800075	HRS	0	TSN 0					
WC#: 53.270	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
531011		NOSE STRUCTURE						Component ATA:53
PN:390-410006-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6844786	HRS	0	TSN 0					
WC#: 53.280	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
531046		AFT FUSELAGE SHELL						Component ATA:53
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 53.130	AFL	0	TSN 0					
PROC. REF: AMM 53-30-02PROC. REF: AMM 53-30-02								
531049		EMPENNAGE						Component ATA:53
PN:390-600100-6001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0	TSN 0					
WC#: 53.290	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
531050		EMPENNAGE FITTING						Component ATA:53
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 53.140	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
531052		FORWARD CANTED BULKHEAD						Component ATA:53
PN:390-440095-0007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6832145	HRS	0	TSN 0					
WC#: 53.150	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
531055		AFT CANTED BULKHEAD						Component ATA:53
PN:390-440089-0007	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6825117	HRS	0	TSN 0					
WC#: 53.160	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
531057		VERTICAL TAIL AFT SPAR						Component ATA:53
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 53.170	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
532001		AFT PRESSURE BULKHEAD						Component ATA:53
PN:390-440031-6001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0	TSN 0					
WC#: 53.100	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
532011		COCKPIT FLOOR STRUCTURE						Component ATA:53
PN:390-420009-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6780153	HRS	0	TSN 0					
WC#: 53.300	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
532021		NO. 1 CABIN FLOOR STRUCTURE						Component ATA:53
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 53.310	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
532022		NO. 2 CABIN FLOOR STRUCTURE						Component ATA:53
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0	TSN 0					
WC#: 53.310	AFL	0	TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
533001	TAILCONE							Component	ATA:53
PN:390-440215-0017	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:RB-137	HRS	0	TSN 0						
WC#: 53.320	AFL	0	TSN 0						
PROC. REF: AMM 53-30-02PROC. REF: AMM 53-30-02									
535001	RADOME							Component	ATA:53
PN:390-415001-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:C154594	HRS	0	TSN 0						
WC#: 53.240	AFL	0	TSN 0						
PROC. REF: AMM 53-30-01PROC. REF: AMM 53-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 54 - NACELLES/PYLONS								
400A12 ^S	INSPECT NO. 1 ENGINE PYLON SKIN							Service ATA:54
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 54.010	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
400A14 ^S	INSPECT NO. 1 ENGINE PYLON NACELLE SEAL							Service ATA:54
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 54.020	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
400B12 ^S	INSPECT NO. 2 ENGINE PYLON SKIN							Service ATA:54
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 54.010	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
400B14 ^S	INSPECT NO. 2 ENGINE PYLON NACELLE SEAL							Service ATA:54
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 54.020	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
300B14 ^S	INSPECT VERTICAL STABILIZER SKIN AND LEADING EDGE							Service ATA:55
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 55.030	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300B15 ^S	INSPECT FORWARD AND AFT DORSAL FIN							Service ATA:55
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 55.040	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
300C15 ^S	INSPECT HORIZONTAL STABILIZER SKIN AND LEADING EDGE							Service ATA:55
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 55.010	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
ATA 56 - WINDOWS								
100E07	VISUAL/EDDY CURRENT INSPECT FRONT AND SIDE WINDSHIELD CLAMPS							Service ATA:56
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
WC#: 56.010	AFL	0						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								
100E08	VISUAL CHECK WINDSHIELDS AND WINDOWS							Service ATA:56
	MOS	19-Sep-19						AIRWORTHINESS
	HRS	2364.8	1200 (+20/-20)		3564.8	3584.8	729.8 (+20)	
WC#: 56.020	AFL	2018						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
100E09 ^S		INSPECT WINDSHIELD FRAMES						Service ATA:56
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 56.030	AFL	2036						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00							PKG:6	
200C18 ^S		INSPECT CABIN WINDOW						Service ATA:56
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 56.040	AFL	2036						
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00							PKG:6	
561001		LEFT WINDSHIELD ASSY						Component ATA:56
PN:390-384000-0005	MOS/MSC	04-Aug-21	O/C	TSN 0				
SN:21125H8234	HRS	2412.6		TSN 0				
WC#: 56.050	AFL	2054		TSN 0				
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
561002		RIGHT WINDSHIELD ASSY						Component ATA:56
PN:390-384000-0006	MOS/MSC	24-Feb-25	O/C	TSN 0				
SN:25006H1782	HRS	2754.1		TSN 0				
WC#: 56.050	AFL	2340		TSN 0				
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
561011		LEFT COCKPIT SIDE WINDOW						Component ATA:56
PN:390-384001-0007	MOS/MSC	21-Jan-25	O/C	TSN 2				
SN:24222H7827	HRS	2753.1		TSN 0				
WC#: 56.060	AFL	2339		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
561012		RIGHT COCKPIT SIDE WINDOW						Component ATA:56
PN:390-384001-0008	MOS/MSC	21-Jan-25	O/C	TSN 2				
SN:24184H3816	HRS	2753.1		TSN 0				
WC#: 56.060	AFL	2339		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
ATA 57 - WINGS								
200C14 ^S	INSPECT WING FUSELAGE FAIRINGS							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.010	AFL	2036						
PROC. REF: AMM 06-50-00PROC. REF: AMM 06-50-00								PKG:6
500A01	EDDY CURRENT LEFT WING CENTER LINE RIB AND SPLICE PLATE							Service ATA:57
	MOS	21-Sep-23	216 (+30d/-30d)		21-Sep-41	21-Oct-41	5587 d (+30)	
	HRS	2666.5	6000 (+20)		8666.5	8686.5	5831.5 (+20)	
WC#: 57.020	AFL	2259						
PROC. REF: AMM 57-10-01PROC. REF: AMM 57-10-01								
500A02	VISUAL INSPECT LEFT WING BOLTS AND ATTACH LINKS							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)		3564.8	3584.8	729.8 (+20)	
WC#: 57.040	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
500A03	BOREScope LEFT WING AND FUSELAGE SPIGOT FITTINGS							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:14400 (+200)		14400	14600	11565 (+200)	
WC#: 57.030	AFL	0						
PROC. REF: AMM 57-10-02PROC. REF: AMM 57-10-02								
500A04	VISUAL INSPECT LEFT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service ATA:57
	MOS	21-Sep-23	216 (+30d/-30d)		21-Sep-41	21-Oct-41	5587 d (+30)	AIRWORTHINESS
	HRS	2666.5	6000 (+200)		8666.5	8866.5	5831.5 (+200)	
WC#: 57.050	AFL	2259						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
500A08 ^S	INSPECT NO. 1 WING TIP ASSEMBLY							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.120	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
500A09 ^S	INSPECT LEFT WING LEADING EDGE							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.130	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
500A12	PERFORM NDI(EDDY CURRENT) OF LEFT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service ATA:57
	MOS	25-Oct-05						
	HRS	0	T:3600 (+200)		3600	3800	765 (+200)	
	AFL	0						
PROC. REF: AMM 57-10-03PROC. REF: AMM 57-10-03								
500B01-ALM	EDDY CURRENT LEFT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:12000 (+200)		12000	12200	9165 (+200)	
WC#: 57.160	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
500B02-ALM	EDDY CURRENT LEFT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
500B03-ALM	EDDY CURRENT LEFT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
500B04-ALM	EDDY CURRENT LEFT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:12000 (+200)		12000	12200	9165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
500B05-ALM	EDDY CURRENT LEFT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:12000 (+200)		12000	12200	9165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
500B06-ALM	EDDY CURRENT LEFT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
500B07 ^S	INSPECT LEFT WING RIBS, SPARS, STRINGERS AND SKINS							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.080	AFL	2018						
								PKG:7
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
500B08 ^S	INSPECT LEFT WING RIB AT BL 00							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.090	AFL	2018						
								PKG:7
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
500B09 ^S	INSPECT LEFT WING FUEL STORAGE SEALANT							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.190	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
500C14 ^S	INSPECT LEFT WING FLAP TRACKS							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.150	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
571001	NO. 1 SKELETON WING ASSEMBLY							Component ATA:57
PN:390-110003-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 57.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571002	NO. 2 SKELETON WING ASSEMBLY							Component ATA:57
PN:390-110003-0002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 57.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
572001	NO. 1 WING TIP ASSEMBLY							Component ATA:57
PN:390-384004-0005	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:152	HRS	0		TSN 0				
WC#: 57.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
572002	NO. 2 WING TIP ASSEMBLY							Component ATA:57
PN:390-384004-0006	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:154	HRS	0		TSN 0				
WC#: 57.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
573001	NO. 1 WING PANEL ASSEMBLY							Component ATA:57
PN:390-110001-0001	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 57.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
573002	NO. 2 WING PANEL ASSEMBLY							Component ATA:57
PN:390-110001-0002	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RB-137	HRS	0		TSN 0				
WC#: 57.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
600A01	EDDY CURRENT RIGHT WING CENTERLINE RIB AND SPLICE PLATE							Service ATA:57
	MOS	21-Sep-23	216 (+30d/-30d)		21-Sep-41	21-Oct-41	5587 d (+30)	
	HRS	2666.5	6000 (+20)		8666.5	8686.5	5831.5 (+20)	
WC#: 57.020	AFL	2259						
PROC. REF: AMM 57-10-01PROC. REF: AMM 57-10-01								
600A02	VISUAL CHECK RIGHT WING BOLTS AND ATTACH LINKS							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)		3564.8	3584.8	729.8 (+20)	
WC#: 57.040	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
600A03	VISUAL INSPECT RIGHT WING AUXILIARY SPAR AND BULKHEAD ATTACHMENT FITTINGS							Service ATA:57
	MOS	21-Sep-23	216 (+30d/-30d)		21-Sep-41	21-Oct-41	5587 d (+30)	AIRWORTHINESS
	HRS	2666.5	6000 (+20)		8666.5	8686.5	5831.5 (+20)	
WC#: 57.050	AFL	2259						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
600A07 ^S	INSPECT NO. 2 WING TIP ASSEMBLY							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.120	AFL	2036						

PKG:6

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
600A08 ^S	INSPECT RIGHT WING LEADING EDGE							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.130	AFL	2036						
								PKG:6
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
600A11	PERFORM NDI(EDDY CURRENT) OF RIGHT LOWER WING SKIN JACK PAD HOLE LOCATION THRU SPAR FLANGE							Service ATA:57
	MOS	25-Oct-05						
	HRS	0	T:3600 (+200)		3600	3800	765 (+200)	
	AFL	0						
PROC. REF: AMM 57-10-03PROC. REF: AMM 57-10-03								
600B01-ALM	EDDY CURRENT RIGHT WING SPARS 1 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:12000 (+200)		12000	12200	9165 (+200)	
WC#: 57.160	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
600B02-ALM	EDDY CURRENT RIGHT WING SPARS 2 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
600B03-ALM	EDDY CURRENT RIGHT WING SPARS 3 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
600B04-ALM	EDDY CURRENT RIGHT WING SPARS 4 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:12000 (+200)		12000	12200	9165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
600B05-ALM	EDDY CURRENT RIGHT WING SPARS 5 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	T:12000 (+200)		12000	12200	9165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
600B06-ALM	EDDY CURRENT RIGHT WING SPARS 6 (WSTA 50.50 TO 90.00)							Service ATA:57
	MOS	25-Oct-05						
	HRS	0	T:6000 (+200)		6000	6200	3165 (+200)	
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
600B07 ^S	INSPECT RIGHT WING RIBS, SPARS, STRINGERS AND SKINS							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.080	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
600B08 ^S	INSPECT RIGHT WING RIB AT BL 00							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.090	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
600B09 ^S	INSPECT RIGHT WING FUEL STORAGE SEALANT							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.190	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
600C14 ^S	INSPECT RIGHT WING FLAP TRACKS							Service ATA:57
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 57.150	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
700B19 ^S	INSPECT LEFT WING SKID RAIL STRUCTURE							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.110	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
700B20 ^S	INSPECT LEFT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.100	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
700C19 ^S	INSPECT RIGHT MAIN GEAR STRUT TRUNNION AND WING TRUNNION							Service ATA:57
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 57.100	AFL	2018						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
SPC20	CHECK LEFT WING LEADING EDGE DRAIN HOLES							Service ATA:57
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 57.140	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
SPC20	CHECK RIGHT WING LEADING EDGE DRAIN HOLES							Service ATA:57
	MOS	21-Jan-25						
	HRS	2753.1	200 (+20)		2953.1	2973.1	118.1 (+20)	
WC#: 57.140	AFL	2339						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 70 - STANDARD PRACTICES - ENGINES								
700401 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service ATA:70
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2
700401 ^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR INSTANCES WHERE COMPONENT MAINTENANCE HAS BEEN COMPLETED AND THE REQUIRED ELECTRICAL BONDING AGENT HAS BEEN DEFERRED TO THE NEXT (ROUTINE PERIODIC INSPECTION). IF INDICATED, APPLY BONDING AGENT TO APPLICABLE CONNECTORS							Service ATA:70
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2
700402 ^S	NO. 1 ENGINE - REVIEW ENGINE LOGBOOK FOR ANY ADDITIONAL REPAIRS REQUIRED							Service ATA:70
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 70 - STANDARD PRACTICES - ENGINES								
700402 ^S	NO. 2 ENGINE - REVIEW ENGINE LOGBOOK FOR ANY ADDITIONAL REPAIRS REQUIRED							Service ATA:70
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2
700403 ^S	NO. 1 ENGINE - REVIEW SPECIAL INSPECTION REQUIREMENTS COINCIDING WITH CHECK 1 OR 2							Service ATA:70
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2
700403 ^S	NO. 2 ENGINE - REVIEW SPECIAL INSPECTION REQUIREMENTS COINCIDING WITH CHECK 1 OR 2							Service ATA:70
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1 ,2
ATA 71 - POWER PLANT								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 AFT NO. 1 ENGINE AFT FITTING							Service ATA:71
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	12000 (+200)		12000	12200	9165 (+200)	
WC#: 71.070	AFL	0						
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 1 FORWARD NO. 1 ENGINE FORWARD FITTING							Service ATA:71
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	12000 (+200)		12000	12200	9165 (+200)	
WC#: 71.060	AFL	0						
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 AFT NO. 2 ENGINE AFT FITTING							Service ATA:71
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	12000 (+200)		12000	12200	9165 (+200)	
WC#: 71.070	AFL	0						
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								
300A44	VISUAL/EDDY CURRENT INSPECT NO. 2 FORWARD NO. 2 ENGINE FORWARD FITTING							Service ATA:71
	MOS	25-Oct-05						AIRWORTHINESS
	HRS	0	12000 (+200)		12000	12200	9165 (+200)	
WC#: 71.060	AFL	0						
PROC. REF: AMM 54-50-01PROC. REF: AMM 54-50-01								
400A08 ^S	INSPECT NO. 1 ENGINE PYLON FIRE WALL							Service ATA:71
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 71.030	AFL	2018						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00								PKG:7
400A13 ^S	INSPECT NO. 1 ENGINE BLEED AIR DUCTS							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 71.040	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
400A15 ^S	INSPECT NO. 1 ENGINE ISOLATOR MOUNTS							Service ATA:71
	MOS	22-Feb-22						
	HRS	2468.3	1200 (+20)					
WC#: 71.110	AFL	2098						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
400A16 ^S	INSPECT NO. 1 ENGINE INLET							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 71.120	AFL	2036						
PROC. REF: AMM 54-10-01PROC. REF: AMM 54-10-01							PKG:6	
400A17 ^S	CHECK NO. 1 ENGINE ASSESSORY DRAIN TUBES							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 71.140	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:6	
400A35 ^S	VISUALLY INSPECT LEFT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 05.030	AFL	2036						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00							PKG:6	
400B08 ^S	INSPECT NO. 2 ENGINE PYLON FIRE WALL							Service ATA:71
	MOS	19-Sep-19						
	HRS	2364.8	1200 (+20)					
WC#: 71.030	AFL	2018						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00							PKG:7	
400B13 ^S	INSPECT NO. 2 ENGINE BLEED AIR DUCTS							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 71.040	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF							PKG:6	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
400B15 ^S	INSPECT NO. 2 ENGINE ISOLATOR MOUNTS							Service ATA:71
	MOS	22-Feb-22						
	HRS	2468.3	1200 (+20)					
WC#: 71.110	AFL	2098						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:7
400B16 ^S	INSPECT NO. 2 ENGINE INLET							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 71.120	AFL	2036						
PROC. REF: AMM 54-10-01PROC. REF: AMM 54-10-01								PKG:6
400B17 ^S	CHECK NO. 2 ENGINE ASSESSORY DRAIN TUBES							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 71.140	AFL	2036						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:6
400B33 ^S	VISUALLY INSPECT RIGHT ENGINE LINES, TUBES, CABLES AND HARNESSSES							Service ATA:71
	MOS	06-Aug-20						
	HRS	2382	600 (+20)					
WC#: 05.030	AFL	2036						
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00								PKG:6
710000	NO. 1 ENGINE - PERFORM STABILITY/ACCELERATION CHECK WITH VISUAL CHECK OF THE ACCELERATION BLEED SYSTEM OPERATION							Service ATA:71
	MOS/MSC	29-Dec-25	A/R					
	HRS	2753.1						
	ENC							
PROC. REF: LMM 71-00-00-818A-322A-APROC. REF: LMM 71-00-00-818A-322A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710000	NO. 2 ENGINE - PERFORM STABILITY/ACCELERATION CHECK WITH VISUAL CHECK OF THE ACCELERATION BLEED SYSTEM OPERATION							Service ATA:71
	MOS/MSC	29-Dec-25	A/R					
	HRS	2753.1						
	ENC							
PROC. REF: LMM 71-00-00-818A-322A-APROC. REF: LMM 71-00-00-818A-322A-A								
710010	NO. 1 ENGINE - COMPRESSOR CLEANING							Service ATA:71
	MOS/MSC	23-Apr-17	A/R					
	HRS	2092.8						
	ENC	1801						
PROC. REF: LMM 05-50-00-801A-042A-APROC. REF: LMM 05-50-00-801A-042A-A								
710010	NO. 2 ENGINE - COMPRESSOR CLEANING							Service ATA:71
	MOS/MSC	12-Dec-17	A/R					
	HRS	2172.8						
	ENC	1862						
PROC. REF: LMM 05-50-00-801A-042A-APROC. REF: LMM 05-50-00-801A-042A-A								
710030	NO. 1 ENGINE - POLISH FAN ROTOR							Service ATA:71
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A								
710030	NO. 2 ENGINE - POLISH FAN ROTOR							Service ATA:71
	MOS/MSC	25-Oct-05	A/R					
	HRS	0						
	ENC	0						
PROC. REF: LMM 05-50-00-803A-913A-APROC. REF: LMM 05-50-00-803A-913A-A								
710121	NO. 1 ENGINE UPPER FORWARD ISOLATOR MOUNT (MANDATORY)							Component ATA:71
PN:390-389000-0007	MOS	22-Feb-22		TSO 0				LIFE LIMIT
SN:1390	HRS	2468.3	2500	TSO 0	4968.3		2133.3	
WC#: 71.080	AFL	2098		TSO 0				
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710122	NO. 2 ENGINE UPPER FORWARD ISOLATOR MOUNT (MANDATORY)							Component ATA:71
PN:390-389000-0007	MOS	22-Feb-22		TSO 0				LIFE LIMIT
SN:1389	HRS	2468.3	2500	TSO 0	4968.3		2133.3	
WC#: 71.080	AFL	2098		TSO 0				
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01								
710123	NO. 1 ENGINE LOWER FORWARD ISOLATOR MOUNT (MANDATORY)							Component ATA:71
PN:390-389000-0007	MOS	22-Feb-22		TSO 0				LIFE LIMIT
SN:1388	HRS	2468.3	2500	TSO 0	4968.3		2133.3	
WC#: 71.090	AFL	2098		TSO 0				
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01								
710124	NO. 2 ENGINE LOWER FORWARD ISOLATOR MOUNT (MANDATORY)							Component ATA:71
PN:390-389000-0007	MOS	22-Feb-22		TSO 0				LIFE LIMIT
SN:1391	HRS	2468.3	2500	TSO 0	4968.3		2133.3	
WC#: 71.090	AFL	2098		TSO 0				
PROC. REF: AMM 71-20-01PROC. REF: AMM 71-20-01								
710125	NO. 1 ENGINE AFT ISOLATOR MOUNT (MANDATORY)							Component ATA:71
PN:390-389021-0003	MOS	22-Feb-22		TSO 0				LIFE LIMIT
SN:0549	HRS	2468.3	2500	TSO 0	4968.3		2133.3	
WC#: 71.095	AFL	2098		TSO 0				
PROC. REF: AMM 71-20-02PROC. REF: AMM 71-20-02								
710126	NO. 2 ENGINE AFT ISOLATOR MOUNT (MANDATORY)							Component ATA:71
PN:390-389021-0003	MOS	22-Feb-22		TSO 0				LIFE LIMIT
SN:0039	HRS	2468.3	2500	TSO 0	4968.3		2133.3	
WC#: 71.095	AFL	2098		TSO 0				
PROC. REF: AMM 71-20-02PROC. REF: AMM 71-20-02								
716001	NO. 1 ENGINE INLET ASSEMBLY							Component ATA:71
PN:390-910281-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6928682	HRS	0		TSN 0				
WC#: 71.120	AFL	0		TSN 0				
PROC. REF: AMM 71-60-01PROC. REF: AMM 71-60-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
716002	NO. 2 ENGINE INLET ASSEMBLY							Component	ATA:71
PN:390-910281-0004	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:6928684	HRS	0		TSN 0					
WC#: 71.120	AFL	0		TSN 0					
PROC. REF: AMM 71-60-01PROC. REF: AMM 71-60-01									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:FJ44-2A	MOS/MSC	17-Jun-22	E/C						
SN:105177	HRS	2527.9		TSN 2468.3					
WC#: 71.EN1	AFL	2143							
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:FJ44-2A	MOS/MSC	17-Jun-22	E/C						
SN:105186	HRS	2527.9		TSN 2468.3					
WC#: 71.EN2	AFL	2143		TSN 2110					
PROC. REF: AMM 71-00-00PROC. REF: AMM 71-00-00									
OPS41	PERFORM NO. 1 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	29-Dec-25							
	HRS	2812.7	300 (+20)	3112.7		3132.7	277.7 (+20)		
	AFL	2395							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
OPS41	PERFORM NO. 2 ENGINE PERFORM WILLIAMS INTERNATIONAL CHECK 1 AND OR CHECK 2 PERFORM A LEAK CHECK OF THE HYDRAULIC PACK							Service	ATA:71
	MOS	29-Dec-25							
	HRS	2812.7	300 (+20)	3112.7		3132.7	277.7 (+20)		
	AFL	2395							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
722010	NO. 1 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY							Component	ATA:72
PN:115570	MOS/MSC	20-Apr-22	O/C	TSR 0					
SN:AU20064	HRS	2468.3		TSN 2316.3					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
	ENC	2107		TSN 2369				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722010	NO. 2 ENGINE - IP (STAGE 1&2) VANE ASSEMBLY							Component ATA:72
PN:115570	MOS/MSC	28-Apr-22	O/C					
SN:AU00416	HRS	2468.3		TSN 4508.2				
	ENC	2110		TSN 3439				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723001	NO. 1 ENGINE - FAN ROTOR							Component ATA:72
PN:65502	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:AU00602	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10036		7624	
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-APROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A								
723001	NO. 2 ENGINE - FAN ROTOR							Component ATA:72
PN:65502	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:AU00606	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10033		7621	
PROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-APROC. REF: LMM 72-00-31-802A-500A-A, LMM 72-00-31-802A-700A-A								
723003 ^S	NO. 1 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service ATA:72
PN:65502	MOS	20-Apr-22						
SN:AU00602	HRS	2468.3	600 (+30)					
	ENC	2107						
PROC. REF: LMM 72-31-20-801A-310A-APROC. REF: LMM 72-31-20-801A-310A-A								PKG:2
723003 ^S	NO. 2 ENGINE - CLEAN FAN ROTOR AND VISUALLY INSPECT FOR DEFECTS							Service ATA:72
PN:65502	MOS	28-Apr-22						
SN:AU00606	HRS	2468.3	600 (+30)					
	ENC	2110						
PROC. REF: LMM 72-31-20-801A-310A-APROC. REF: LMM 72-31-20-801A-310A-A								PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component ATA:72
PN:61964	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:HW18399	HRS	0		TSN 0				
	ENC	0	6000	TSN 0	(6000) 6036		3624	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component ATA:72
PN:61964	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:HW18872	HRS	0		TSN 0				
	ENC	0	6000	TSN 0	(6000) 6033		3621	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component ATA:72
PN:69986	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:HW18507	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15036		12624	
PROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-APROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-A								
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component ATA:72
PN:69986	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:HW17586	HRS	0		TSN 0				
	ENC	0	15000	TSN 0	(15000) 15033		12621	
PROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-APROC. REF: LMM 72-00-34-802A-500A-A, LMM 72-00-34-802A-700A-A								
723019	NO. 1 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component ATA:72
PN:66960	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU00107	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723019	NO. 2 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:72
PN:66960	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:AU00097	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723021 ^S	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	20-Apr-22							
	HRS	2468.3	600 (+30)						
	ENC	2107							
PKG:2									
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A									
723021 ^S	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	28-Apr-22							
	HRS	2468.3	600 (+30)						
	ENC	2110							
PKG:2									
PROC. REF: LMM 72-30-10-801A-310A-APROC. REF: LMM 72-30-10-801A-310A-A									
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:67894	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:AU02107	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:67894	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:AU01311	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723028	NO. 1 ENGINE - BEARING NO.1 HOUSING							Component	ATA:72
PN:67305	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:AU00462	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723028	NO. 2 ENGINE - BEARING NO.1 HOUSING							Component ATA:72
PN:67305	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU00494	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723036	NO. 1 ENGINE - STAGE 3 IP ROTOR STATOR							Component ATA:72
PN:59084	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU01873	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723036	NO. 2 ENGINE - STAGE 3 IP ROTOR STATOR							Component ATA:72
PN:59084	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU01917	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723037	NO. 1 ENGINE - FAN STATOR VANE ASSEMBLY							Component ATA:72
PN:68435	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU00085	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723037	NO. 2 ENGINE - FAN STATOR VANE ASSEMBLY							Component ATA:72
PN:68435	MOS/MSC	28-Apr-22	O/C					
SN:AU00075	HRS	2468.3		TSN 4794.2				
	ENC	2110		TSN 4392				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component ATA:72
PN:64711	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:RX5RT438	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:64711	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:RX5RT482	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:64257	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:RX1SN15379	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:64257	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:RX1SN15407	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724035	NO. 1 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:111409	MOS/MSC	20-Apr-22	O/C						
SN:RRL0843	HRS	2468.3		TSN 0					
	ENC	2107		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724035	NO. 2 ENGINE - HP TURBINE COMBUSTER ASSEMBLY							Component	ATA:72
PN:111409	MOS/MSC	28-Apr-22	O/C						
SN:RRL0812	HRS	2468.3		TSN 2468.3					
	ENC	2110		TSN 2110					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724036	NO. 1 ENGINE - COMBUSTION COVER ASSEMBLY							Component	ATA:72
PN:66730	MOS/MSC	20-Apr-22	O/C	TSR 0					
SN:AU00271	HRS	2468.3		TSN 2495.8, TSR 0					
	ENC	2107		TSN 2560, TSR 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724036	NO. 2 ENGINE - COMBUSTION COVER ASSEMBLY							Component ATA:72
PN:76668	MOS/MSC	28-Apr-22	O/C	TSR 0				
SN:AU20145	HRS	2468.3		TSR 3426.9				
	ENC	2110		TSR 3282				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724040	NO. 1 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component ATA:72
PN:57882	MOS/MSC	20-Apr-22	O/C					
SN:AU21372	HRS	2468.3		TSN 1587.3				
	ENC	2107		TSN 1412				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724040	NO. 2 ENGINE - REAR FUEL SLINGER SEAL ASSEMBLY							Component ATA:72
PN:55608	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU03370	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component ATA:72
PN:115471	MOS/MSC	20-Apr-22	O/C	TSN 0				
SN:202153	HRS	2468.3		TSN 0				
	ENC	2107		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component ATA:72
PN:115471	MOS/MSC	28-Apr-22	O/C	TSN 0				
SN:202155	HRS	2468.3		TSN 0				
	ENC	2110		TSN 12				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725010	NO. 1 ENGINE - HP TURBINE DISK							Component ATA:72
PN:59387	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:RRL7LD14477	HRS	0		TSN 0				
	ENC	0	8000	TSN 0	(8000) 8036		5624	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 2 ENGINE - HP TURBINE DISK							Component ATA:72
PN:59387	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:RRL7LD14149	HRS	0		TSN 0				
	ENC	0	8000	TSN 0	(8000) 8033		5621	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725016	NO. 1 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component ATA:72
PN:56310	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU01791	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725016	NO. 2 ENGINE - NOZZLE, 2ND LP TURBINE HOUSING ASSEMBLY							Component ATA:72
PN:56310	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:AU01828	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component ATA:72
PN:55531	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:RRL7D1551	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10036		7624	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component ATA:72
PN:55531	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:RRL7D1860	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10033		7621	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component ATA:72
PN:55534	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:RRL7D1531	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10036		7624	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component ATA:72
PN:55534	MOS	25-Oct-05		TSN 0, TSO 0				LIFE LIMIT
SN:RRL7D1877	HRS	0		TSN 0				
	ENC	0	10000	TSN 0	(10000) 10033		7621	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component ATA:72
PN:115284	MOS/MSC	20-Apr-22	O/C					
SN:WL02418	HRS	2468.3		TSN 2012.2				
	ENC	2107		TSN 1649				
PROC. REF: LMM 72-00-60-801A-500A-APROC. REF: LMM 72-00-60-801A-500A-A								
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component ATA:72
PN:114130	MOS/MSC	28-Apr-22	O/C					
SN:AU00030	HRS	2468.3		TSN 1962.4				
	ENC	2110		TSN 1376				
PROC. REF: LMM 72-00-60-801A-500A-APROC. REF: LMM 72-00-60-801A-500A-A								
ATA 73 - ENGINE FUEL AND CONTROL								
731001	NO. 1 ENGINE - FUEL PUMP							Component ATA:73
PN:59863	MOS	25-Oct-05		TSN 0, TSO 0				OVERHAUL
SN:YYK0368	HRS	0	5000 (+100)	TSN 0	(5000) 5059.6	5100	2224.6 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-APROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731001	NO. 2 ENGINE - FUEL PUMP							Component ATA:73
PN:59863	MOS	25-Oct-05		TSN 0, TSO 0				OVERHAUL
SN:YYK0384	HRS	0	5000 (+100)	TSN 0	(5000) 5059.6	5100	2224.6 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A PROC. REF: LMM 73-16-01-801A-520A-A, LMM 73-16-01-801A-720A-A								
731010 ^S	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service ATA:73
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A								
731010 ^S	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service ATA:73
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A								
731015 ^S	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service ATA:73
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A								
731015 ^S	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service ATA:73
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A PROC. REF: LMM 73-12-01-801A-310A-A, LMM 73-12-01-801A-363A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731020 ^S	NO. 1 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service ATA:73
	MOS/MSC	20-Apr-22	A/R					
	HRS	2468.3						
	ENC	2107						
								PKG:2
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A								
731020 ^S	NO. 2 ENGINE - REPLACE UNION-TO-OIL COOLER FUEL TUBE ASSEMBLY AND HMU-TO-OIL COOLER FUEL TUBE ASSEMBLY (RENTAL ENGINES ONLY)							Service ATA:73
	MOS/MSC	28-Apr-22	A/R					
	HRS	2468.3						
	ENC	2110						
								PKG:2
PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A PROC. REF: LMM 73-10-01-803A-520A-A, LMM 73-10-01-803A-720A-A								
731025	NO. 1 ENGINE - FUEL FILTER REPLACEMENT							Service ATA:73
	MOS	20-Apr-22						
	HRS	2468.3	1200 (+120)		(3668.3) 3727.9	3788.3	892.9 (+120)	
	ENC	2107						
								PKG:2
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A								
731025	NO. 2 ENGINE - FUEL FILTER REPLACEMENT							Service ATA:73
	MOS	28-Apr-22						
	HRS	2468.3	1200 (+120)		(3668.3) 3727.9	3788.3	892.9 (+120)	
	ENC	2110						
								PKG:2
PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A PROC. REF: LMM 73-14-01-801A-520A-A, LMM 73-14-01-801A-720A-A								
731046	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731046	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component ATA:73
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732001	NO. 1 ENGINE ECU							Component ATA:73
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.050	AFL	0		TSN 0				
PROC. REF: AMM 73-20-01PROC. REF: AMM 73-20-01								
732002	NO. 2 ENGINE ECU							Component ATA:73
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.050	AFL	0		TSN 0				
PROC. REF: AMM 73-20-01PROC. REF: AMM 73-20-01								
732101	NO. 1 ENGINE - ELECTRONIC CONTROL UNIT							Component ATA:73
PN:71792	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:LH2A0366	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-24-01-802A-520A-APROC. REF: LMM 73-24-01-802A-520A-A								
732101	NO. 2 ENGINE - ELECTRONIC CONTROL UNIT							Component ATA:73
PN:71792	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:LH2A0379	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 73-24-01-802A-520A-APROC. REF: LMM 73-24-01-802A-520A-A								
732104 ^S	NO. 1 ENGINE - PERFORM ECU P AMBIENT CHECK							Service ATA:73
	MOS	17-Jun-22						
	HRS	2468.3	600 (+30)					
	ENC	2107						
PROC. REF: LMM 73-24-01-805A-913A-APROC. REF: LMM 73-24-01-805A-913A-A								

PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732104 ^S	NO. 2 ENGINE - PERFORM ECU P AMBIENT CHECK							Service ATA:73
	MOS	17-Jun-22						
	HRS	2468.3	600 (+30)					
	ENC	2110						
PROC. REF: LMM 73-24-01-805A-913A-APROC. REF: LMM 73-24-01-805A-913A-A								PKG:2
732105 ^S	NO. 1 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service ATA:73
PN:71792	MOS	29-Dec-25						
SN:LH2A0366	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 71-00-00-818A-322A-APROC. REF: LMM 71-00-00-818A-322A-A								PKG:1 ,2
732105 ^S	NO. 2 ENGINE - OPERATIONAL CHECK ELECTRONIC CONTROL UNIT OF THE EFCU IN MANUAL MODE							Service ATA:73
PN:71792	MOS	29-Dec-25						
SN:LH2A0379	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 71-00-00-818A-322A-APROC. REF: LMM 71-00-00-818A-322A-A								PKG:1 ,2
732401	NO. 1 ENGINE - FUEL CONTROL (HMU) UNIT							Component ATA:73
PN:66311	MOS	25-Oct-05		TSN 0, TSO 0				OVERHAUL
SN:RF13444315	HRS	0	5000 (+100)	TSN 0	(5000) 5059.6	5100	2224.6 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-APROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A								
732401	NO. 2 ENGINE - FUEL CONTROL (HMU) UNIT							Component ATA:73
PN:75208	MOS	09-Aug-18		TSO 0				OVERHAUL
SN:RF13444513	HRS	2242.9	5000 (+100)	TSO 0	(7242.9) 7302.5	7342.9	4467.5 (+100)	
	ENC	1930		TSO 0				
PROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-APROC. REF: LMM 73-21-01-803A-520A-A, LMM 73-21-01-803A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733001	NO. 1 ENGINE FUEL FLOW TRANSMITTER							Component ATA:73
PN:1/2-1-81-302	MOS/MSC	21-May-19	O/C					
SN:518738	HRS	2343.2						
WC#: 73.010	AFL	2001						
PROC. REF: AMM 73-30-01PROC. REF: AMM 73-30-01								
733002	NO. 2 ENGINE FUEL FLOW TRANSMITTER							Component ATA:73
PN:1/2-1-81-302	MOS/MSC	21-May-19	O/C					
SN:518739	HRS	2343.2						
WC#: 73.010	AFL	2001						
PROC. REF: AMM 73-30-01PROC. REF: AMM 73-30-01								
TBO04	NO. 1 ENGINE DRIVEN HIGH PRESSURE FUEL PUMP							Component ATA:73
PN:PN	MOS	25-Oct-05		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	5000 (+100)	TSN 0	5000	5100	2165 (+100)	
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
TBO04	NO. 2 ENGINE DRIVEN HIGH PRESSURE FUEL PUMP							Component ATA:73
PN:PN	MOS	25-Oct-05		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	5000 (+100)	TSN 0	5000	5100	2165 (+100)	
WC#: 73.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 74 - IGNITION								
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component ATA:74
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A								
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component ATA:74
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741020	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER							Component ATA:74
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A								
741020	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER							Component ATA:74
PN:PN	MOS/MSC	25-Oct-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 74-10-01-801A-520A-APROC. REF: LMM 74-10-01-801A-520A-A								
742037 ^S	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service ATA:74
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A								
742037 ^S	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service ATA:74
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A								
742040 ^S	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service ATA:74
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 74-00-10-801A-340A-APROC. REF: LMM 74-00-10-801A-340A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742040 ^S	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service ATA:74
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 74-00-10-801A-340A-APROC. REF: LMM 74-00-10-801A-340A-A								PKG:1 ,2
742050 ^S	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service ATA:74
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A								PKG:1 ,2
742050 ^S	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service ATA:74
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-APROC. REF: LMM 74-22-01-801A-310A-A, LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A								PKG:1 ,2
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component ATA:74
PN:68032	MOS/MSC	20-Apr-22	O/C	TSN 0				
SN:CK-2102646	HRS	2468.3		TSN 0				
	ENC	2107		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-APROC. REF: LMM 74-22-01-801A-520A-A								
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component ATA:74
PN:68032	MOS/MSC	28-Apr-22	O/C	TSN 0				
SN:CK-1905789	HRS	2468.3		TSN 0				
	ENC	2110		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-APROC. REF: LMM 74-22-01-801A-520A-A								
742202	NO. 1 ENGINE - OUTBOARD IGNITOR							Component ATA:74
PN:68032	MOS/MSC	20-Apr-22	O/C	TSN 0				
SN:CK-2102646	HRS	2468.3		TSN 0				
	ENC	2107		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
PROC. REF: LMM 74-22-01-801A-520A-APROC. REF: LMM 74-22-01-801A-520A-A								
742202	NO. 2 ENGINE - OUTBOARD IGNITOR							Component ATA:74
PN:68032	MOS/MSC	28-Apr-22	O/C	TSN 0				
SN:CK-1905777	HRS	2468.3		TSN 0				
	ENC	2110		TSN 0				
PROC. REF: LMM 74-22-01-801A-520A-APROC. REF: LMM 74-22-01-801A-520A-A								
ATA 75 - AIR								
751001	NO. 1 ENGINE ANTI ICE VALVE							Component ATA:75
PN:5188-00-1	MOS/MSC	13-Feb-08	O/C					
SN:0582	HRS	496.6						
WC#: 75.010	AFL	300						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
751002	NO. 2 ENGINE ANTI ICE VALVE							Component ATA:75
PN:5188-00-7	MOS/MSC	09-Feb-11	O/C	TSO 0				
SN:0210	HRS	1115.6		TSO 0				
WC#: 75.010	AFL	947		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
753010 ^S	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service ATA:75
	MOS	20-Apr-22						
	HRS	2468.3	600 (+30)					
	ENC	2107						
								PKG:2
PROC. REF: LMM 75-30-01-801A-310A-APROC. REF: LMM 75-30-01-801A-310A-A								
753010 ^S	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service ATA:75
	MOS	28-Apr-22						
	HRS	2468.3	600 (+30)					
	ENC	2110						
								PKG:2
PROC. REF: LMM 75-30-01-801A-310A-APROC. REF: LMM 75-30-01-801A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C / W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
753020	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:65593	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:AU02456	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
753020	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:75
PN:65593	MOS/MSC	28-Apr-22	O/C	TSR 0					
SN:AU01978	HRS	2468.3	TSN 4289.3, TSR 0						
	ENC	2110	TSN 3111, TSR 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 76 - ENGINE CONTROLS									
100A09 ^S	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-BELOW FLOORS							Service	ATA:76
	MOS	19-Sep-19							
	HRS	2364.8	1200 (+20)						
WC#: 76.030	AFL	2018							
PKG:7									
PROC. REF: AMM 20-14-00PROC. REF: AMM 20-14-00									
200A13 ^S	INSPECT THRUST LEVER/THROTTLE QUADRANT LEVER							Service	ATA:76
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 76.010	AFL	2036							
PKG:6									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
200A14 ^S	INSPECT POWER CONTROL CABLES - COCKPIT SECTION-ABOVE FLOORS							Service	ATA:76
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 76.040	AFL	2036							
PKG:6									
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
300A39 ^S	INSPECT POWER CONTROL CABLES - AFT FUSELAGE							Service	ATA:76
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 76.050	AFL	2036							
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02							PKG:6		
400A18 ^S	CHECK NO. 1 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 76.020	AFL	2036							
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02							PKG:6		
400B18 ^S	CHECK NO. 2 ENGINE POWER CONTROL CABLE							Service	ATA:76
	MOS	06-Aug-20							
	HRS	2382	600 (+20)						
WC#: 76.020	AFL	2036							
PROC. REF: AMM 76-10-02PROC. REF: AMM 76-10-02							PKG:6		
ATA 77 - ENGINE INDICATING									
771005	NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:MD74705	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771005	NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:MD75538	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771015	NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:54831	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:MD074506	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
771015	NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:54831	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:MD074502	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
772005	NO. 1 ENGINE - TT2 SENSOR							Component	ATA:77
PN:59715	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:LR11197	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: LMM 77-22-01-801A-520A-APROC. REF: LMM 77-22-01-801A-520A-A									
772005	NO. 2 ENGINE - TT2 SENSOR							Component	ATA:77
PN:59715	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:LR11214	HRS	0	TSN 0						
	ENC	0	TSN 0						
PROC. REF: LMM 77-22-01-801A-520A-APROC. REF: LMM 77-22-01-801A-520A-A									
772010 ^S	NO. 1 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT							Service	ATA:77
PN:59715	MOS	29-Dec-25							
SN:LR11197	HRS	2753.1	300 (+30)						
	ENC								
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-APROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A								PKG:1 ,2	
772010 ^S	NO. 2 ENGINE - INSPECT/FUNCTIONAL CHECK TT2 SENSOR HEATER ELEMENT							Service	ATA:77
PN:59715	MOS	29-Dec-25							
SN:LR11214	HRS	2753.1	300 (+30)						
	ENC								
PROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-APROC. REF: LMM 77-22-01-801A-300A-A, LMM 77-22-01-801A-310A-A, LMM 77-22-01-801B-300A-A								PKG:1 ,2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
ATA 78 - EXHAUST								
781001	NO. 1 ENGINE EXHAUST NOZZLE ASSEMBLY						Component	ATA:78
PN:390-910017-0003	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6944253	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-10-01PROC. REF: AMM 78-10-01								
781002	NO. 2 ENGINE EXHAUST NOZZLE ASSEMBLY						Component	ATA:78
PN:390-910017-0004	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0				
SN:6944254	HRS	0		TSN 0				
WC#: 78.020	AFL	0		TSN 0				
PROC. REF: AMM 78-10-01PROC. REF: AMM 78-10-01								
ATA 79 - OIL								
792015 ^S	NO. 1 ENGINE - INSTALL NEW OIL FILTER						Service	ATA:79
	MOS	20-Apr-22						
	HRS	2468.3	600 (+30)					
	ENC	2107						
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A							PKG:2	
792015 ^S	NO. 2 ENGINE - INSTALL NEW OIL FILTER						Service	ATA:79
	MOS	28-Apr-22						
	HRS	2468.3	600 (+30)					
	ENC	2110						
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A							PKG:2	
792020 ^S	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS						Service	ATA:79
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 79-30-01-801A-310A-A							PKG:1 ,2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
792020 ^S	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service ATA:79
	MOS	29-Dec-25						
	HRS	2753.1	300 (+30)					
	ENC							
PROC. REF: LMM 79-30-01-801A-310A-APROC. REF: LMM 79-30-01-801A-310A-A								PKG:1 ,2
792025 ^S	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS	20-Apr-22						
	HRS	2468.3	600 (+30)					
	ENC	2107						
PROC. REF: LMM 72-00-03-801A-200A-APROC. REF: LMM 72-00-03-801A-200A-A								PKG:2
792025 ^S	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS	28-Apr-22						
	HRS	2468.3	600 (+30)					
	ENC	2110						
PROC. REF: LMM 72-00-03-801A-200A-APROC. REF: LMM 72-00-03-801A-200A-A								PKG:2
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component ATA:79
PN:110487	MOS	20-Apr-22		TSO 0				OVERHAUL
SN:WL01021	HRS	2468.3	6000 (+100)	TSN 1452.7, TSO 0	(8468.3) 8527.9	8568.3	5692.9 (+100)	
	ENC	2107		TSN 1525, TSO 0				
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-APROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component ATA:79
PN:110487	MOS	28-Apr-22		TSO 0				OVERHAUL
SN:WL02165	HRS	2468.3	6000 (+100)	TSN 5040.1, TSO 0	(8468.3) 8527.9	8568.3	5692.9 (+100)	
	ENC	2110		TSN 4951, TSO 12				
PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-APROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PREMIER IA Serial: RB-137 RegNo: N707KP HRS: 2835 AFL: 2412 As Of: 05-Jun-2026

05-Jun-2026 08:50 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793001	NO. 1 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:680S53	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:515	HRS	0	TSN 0						
WC#: 79.010	AFL	0	TSN 0						
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01									
793002	NO. 2 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:680S53	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:507	HRS	0	TSN 0						
WC#: 79.010	AFL	0	TSN 0						
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01									
793003	NO. 1 ENGINE OIL TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:117546	HRS	0	TSN 0						
WC#: 79.020	AFL	0	TSN 0						
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03									
793004	NO. 2 ENGINE OIL TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:115204	HRS	0	TSN 0						
WC#: 79.020	AFL	0	TSN 0						
PROC. REF: AMM 79-30-03PROC. REF: AMM 79-30-03									
793005	NO. 1 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:101-389023-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:7097-2-328	HRS	0	TSN 0						
WC#: 79.030	AFL	0	TSN 0						
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02									
793006	NO. 2 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:101-389023-7	MOS/MSC	25-Oct-05	O/C	TSN 0, TSO 0					
SN:7097-2-302	HRS	0	TSN 0						
WC#: 79.030	AFL	0	TSN 0						
PROC. REF: AMM 79-30-02PROC. REF: AMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task